

Woodhead® from **molex**



Woodhead® Temporary Construction High Bay Lighting Fixture

Fast, economical performance for temporary field lighting applications

- 400W Metal Halide wide area lighting with pulse-start feature
- Meets 2007 Energy Independence and Security Act
- Longer lamp life
- Higher power efficiency than old probe-start technology
- Light output does not change over time
- Better cold starting characteristics
- Shorter restrike time

WESCO Part No.	Mfr.'s Model No.	Connectors
786788-87565	8575-MH-PS	8', #16-3 SJTW, NEMA 5-15 Plug

Woodhead® Pro-Yellow® Stringlights

- Feature 10 lamp sockets spaced at 10 ft. intervals
- Include plastic lamp guards
- UL® Listed and CSA Certified (302SRL only)
- 100 ft. standard length
- Maximum lamp size: 150W A23 for 302SRL and 202SRL, 100W for STR100
- Right-hand thread socket assemblies



WESCO Part No.	Mfr.'s Model No.	Conductor	Plugs/Connectors
786788-61202	302SRL	Flat Wire, 12/2	NEMA 1-15 Plug/Dead End
786788-79980	STR100	Open, 14 AWG	None
786788-53637	202SRL	Flat Wire, 14/2	None

Woodhead® Super-Safeway® Stringlights

- Ideal for lighting large work areas
- Easy-to-replace parts ensure quick, convenient serviceability
- Light sockets are spaced at 10' intervals
- Can easily be set up for 12–240V operation
- Length — 786788-79896: 50', 786788-79626 and 79868: 100'
- Rubber cable S00W and rubber socket
- Maximum lamp size: 150WA23
- Right-hand thread socket assemblies



WESCO Part No.	Mfr.'s Model No.	Conductor	Plugs/Connectors
786788-79896	323526	12/3	NEMA 5-15 Plug/5-15 Connector
786788-79626	310123	12/3	NEMA 5-15 Plug/Dead End
786788-79868	320128	12/2	NEMA 1-15 Plug/1-15 Connector

Woodhead® Safeway® Drop-Lite Series Handheld Lights

- Include rugged nylon handle with switch and side outlet
- Heavy-plated steel guard protects lamp from breakage
- Guard type: with reflector, easy-open plated heavy steel
- For 100W bulb types



WESCO Part No.	Mfr.'s Model No.	Devices	Cord	Handle Material
786788-61601	402	Switch, Receptacle	25' 16/3 SJTO	Nylon
786788-61603	405	Switch, Receptacle	50' 16/3 SJTO	Nylon

Woodhead® Incandescent Wet Location Handheld Lights

- For 100W bulb types
- Durable handles of rubber and plastic for comfortable grip



WESCO Part No.	Mfr.'s Model No.	Guard Type	Cord
786788-61333	1223	Gasketed Teflon® Globe	25' 16/2 S00W
786788-61355	1203RB163	Gasketed Glass Globe & Reflector, Wire Guard	50' 16/3 S00W
786788-61302	1203B163	Gasketed Glass Globe, Wire Guard	50' 16/3 S00W
786788-61290	1203	Gasketed Glass Globe, Wire Guard	None
786788-61335	1225	Gasketed Teflon Globe	50' 16/3 S00W



Woodhead® Pro-Yellow® 100W Incandescent Hand Lamp

- Nonslip elastomer grip
- Rated for up to 100W
- Rotating, self-storing guard
- High-impact nylon handle

WESCO Part No.	Mfr.'s Model No.	Devices	Cord
786788-50114	WT3C-20	Switch	20-ft. 18/3 SJTW

Woodhead® Safety Yellow® 150W Incandescent Hand Lamp

- Nonslip elastomer grip
- Rated for up to 150W
- Value-driven performance
- High-impact nylon handle

WESCO Part No.	Mfr.'s Model No.	Devices	Cord
786788-50115	WT6C-25	Switch	25' 16/3 SJTW
786788-50116	WT6C-50	Switch	50' 16/3 SJTW

Woodhead® Safety Yellow® 26W Fluorescent Hand Lamp

- Nonslip elastomer grip
- 26W of fluorescent light output
- Value-driven performance
- High-impact nylon handle

WESCO Part No.	Mfr.'s Model No.	Devices	Cord
786788-51149	WT6F-25	Switch	25' 18/3 SJTW
786788-52922	WT6F-50	Switch	50' 18/3 SJTW

Woodhead® Pro-Yellow® 13W Fluorescent Hand Lamp

- Nonslip elastomer grip
- 13W of fluorescent light output
- Value-driven performance
- High-impact nylon handle

WESCO Part No.	Mfr.'s Model No.	Devices	Cord
786788-51148	WT3F-20	Switch	20' 18/3 SJTW
786788-54098	WT3F-20NS	No Switch*	20' 18/3 SJTW

*No switch for commercial garage applications.



Woodhead®
from **molex**

**Woodhead® Watertite® Series
Low-Voltage Wet-Location
Handheld Lights**


- Cord is 10 ft. 16/3 SOW-A, 50 ft. 16/2 SOW-A



WESCO Part No.	Mfr.'s Model No.	Lamp	Guard Type	Devices
786788-61561	1612S	35W 12V Flood	Closed, Steel, Screw Release	Switch, In-Line 110/12 VAC Transformer
786788-61530	1610	30W 12V Spot	Closed, Steel, Screw Release	In-Line 110/12 VAC Transformer
786788-61560	1610S	30W 12V Spot	Closed, Steel, Screw Release	Switch, In-Line 110/12 VAC Transformer
786788-62502	1621-12A	75W 12V	Guard/Gasketed Globe, Steel	In-Line 110/12 VAC Transformer
786788-62529	1621-12B	75W 12V	Guard/Gasketed Globe, Steel	In-Line 110/12 VAC Transformer
786788-62504	1625-12A	75W 12V	Gasketed Teflon® Globe	In-Line 110/12 VAC Transformer
786788-62532	1625-12B	75W 12V	Gasketed Teflon Globe	In-Line 10/12 VAC Transformer
786788-61573	1691-12BS	100W 12V Spot	Closed, Steel, Screw Release	Switch, In-Line 110/12 VAC Transformer

**Woodhead® Super-Safeway® Series
Incandescent Handheld Lights**

- Feature heavy-duty construction and long operating life
- Available with NEoTex® rubber or phenolic plastic handles
- Ergonomically designed for comfortable handheld use



WESCO Part No.	Mfr.'s Model No.	Lamp	Guard Type	Devices	Cord	Handle Material
786788-79511	106UA163	100W	Closed with Reflector, Screw-Release, Zinc-Plated Wire	Receptacle	25' 16/3 SOOW	Rubber
786788-79532	271USA163	100W	Closed with Reflector, Screw-Release, Zinc-Plated Wire	Switch, Receptacle	25' 16/3 SJTOW	Plastic
786788-79515	106UB163	100W	Closed with Reflector, Screw-Release, Zinc-Plated Wire	Receptacle	50' 16/3 SOOW	Rubber
786788-79412	105SB163	100W	Closed with Reflector, Quick-Open, Zinc-Plated Wire	Receptacle	50' 16/3 SOOW	Rubber
786788-79433	111UB163	300W	Open End with Reflector, Screw-Release, Zinc-Plated Wire	Receptacle	50' 16/3 SOOW	Rubber
786788-60181	106US	100W	Closed with Reflector, Screw-Release, Zinc-Plated Wire	Switch, Receptacle	None	Rubber
786788-60133	271US	100W	Closed with Reflector, Screw-Release, Zinc-Plated Wire	Switch, Receptacle	None	Plastic

Woodhead® Super-Safeway® Series Fluorescent and LED Handheld Lights

- Bright, diffuse illumination for all spaces
- Ideal for work areas where heat build-up is a concern
- Durable, protective clear plastic tube
- ON-OFF switch in handle
- Available in lumen ratings from 900 to 12,600
- Battery-powered fluorescent operates up to eight hours
- Battery-powered LED operates up to three weeks continuously

WESCO Part No.	Mfr.'s Model No.	Lamp	Ballast	Handle Cord	Material
786788-61271	1083-3B	13W Fluor (1)	12V Battery Pack with Charger	6'	Rubber
786788-61286	1086-3	13W PL (1)	120V, Handle Mounted	25' 16/3 SJTOW	Rubber
786788-61270	1083-3	13W PL (1)	120V, Cord Mounted	25' 18/3 SJTOW	Rubber
786788-61254	1097-3	40W PL (1)	120V, Cord Mounted	25' 18/6 SJTOW	Rubber
786788-61256	1099-3	40W PL (1)	120V, Cord Mounted	50' 18/6 SJTOW	Rubber
786788-61235	1049	F8T5CW	120V, Handle Mounted	18' 18/3 SJTOW	Rubber
786788-61243	1003-3	F15T8CW (1)	120V, Handle Mounted	25' 18/3 SJTOW	Rubber
786788-61245	1005-3	F15T8CW (1)	120V, Handle Mounted	50' 18/3 SJTOW	Rubber
786788-61260	1013-3	F30T8CW (1)	120V, Cord Mounted	25' 18/3 SJOOW	Rubber
786788-67050	1013-3S	F30T8CW (1)	120V, Cord Mounted	25' 18/3 SJOOW	Rubber
786788-61264	1015-3	F30T8CW (1)	120V, Cord Mounted	50' 18/3 SJOOW	Rubber
786788-82995	1083B-LED	LED Board	12V, Battery Pack with Charger	6'	Rubber



Woodhead®
from **molex**

NEW Product



Woodhead® Wide Area Fluorescent Light for Hazardous Locations

- Twin 55W CFL lamps for high output and impact-resistance
- Rubber lamp bumper protects lamps from vibration
- Various cord and plug configurations available
- ¼ turn fasteners achieve tool-to-enter requirements without locks, wire ties, or tag-out
- Mounting brackets adjust 360° for easy mounting or to serve as handles
- NEMA 3R enclosure rating
- Single rapid start ballast design for ease of maintenance and repair
- Weight — 15.5 lbs. without cable
- Operating temp. — -50° C to 40° C
- Voltage — 120–277 VAC, 60 Hz
- QPS Certified for Class I, Division II applications


WESCO Part No.	Mfr.'s Model No.	Description
XXXXXX-XXXXX	1075-HZ25A143	25' #14-3 SOW, 5-15 WTT Plug/Connector
XXXXXX-XXXXX	1075-HZ25B143	50' #14-3 SOW, 5-15 WTT Plug/Connector
XXXXXX-XXXXX	1075-HZ2XA143F	25' #1403 SOW, XP Plug/Connector
XXXXXX-XXXXX	1075-HZ2XB143F	50' #1403 SOW, XP Plug/Connector
XXXXXX-XXXXX	1075-HZ2XK123F	3' #12-3 SOW, XP Plug/Connector
XXXXXX-XXXXX	1075-HZ2NK143F	3' #1/4-3 SOW, Flying Leads
XXXXXX-XXXXX	1075-HZ2NK123F	3' #12-3 SOW, Flying Leads
XXXXXX-XXXXX	1075-HZ2N	No Cable or Cord grips

Woodhead® 360° Work Light

Fast, economical performance for temporary field lighting applications

- Multifunctional cap protects against accidental damage
- Impact-resistant diffuser is made of clear PVC to protect lamps
- Three 32W lamps (included) meet OSHA 1926.56 for minimum illumination of work areas
- T8 fluorescent lamps are cool to the touch and suitable for indoor use
- Integral tripod stand eliminates the need for a secondary mounting device and is adjustable
- Rugged base includes a convenience receptacle with up to 10 amps of power for auxiliary equipment or additional lights
- Electronic ballast provides reliable operation and efficiency
- NEMA 5-15 plug with integral cord clamp keeps the cord from tangling during storage

HC001-010



WESCO Part No.	Mfr.'s Model No.	Lamp Qty.	Watts	Lamp	Connectors
786788-61821	HC001-010	3	32	T8	8', #16-3 SJTW, NEMA 5-15 Plug



Intermatic EL Series Power Failure Lighting

- Provides light throughout the home, office, school, hotel etc. during power outages
- Night light feature provides sufficient light down hallways and throughout rooms late at night
- EL500 and EL500E are commercial grade models that interface with fire and smoke alarm products
- EL500E includes Chevron design for egress direction
- EL 500E features: power failure mode, pilot light mode, power save mode, battery test mode, flash mode
- Light Source: three high intensity red LEDs

SPECIFICATIONS

Voltage: 120 VAC or 120-277 VAC*
Style: Flushmount design
Light Source: 3 high output LEDs
Warranty: 1 year
Meets UL® 1994 for Egress Lighting



EL100

EL200



EL300

EL500

WESCO Part No.	Mfr.'s Model No.	Description	Color
078275-10858	EL100	In-Wall Power Failure Light	Decorator White
078275-10852	EL200	Receptacle, 120V 15 Amp	Decorator Ivory
078275-10853	EL200LA	Receptacle, 120V 15 Amp	Decorator Light Almond
078275-10854	EL200W	Receptacle, 120V 15 Amp	Decorator White
078275-10855	EL300	Switch, 120V 15 Amp	Decorator Ivory
078275-10856	EL300LA	Switch, 120V 15 Amp	Decorator Light Almond
078275-10857	EL300W	Switch, 120V 15 Amp	Decorator White

Commercial Grade In-Wall Light

WESCO Part No.	Mfr.'s Model No.	Description
078275-10859	EL500	120/277 VAC Option, White LEDs, Clear lens
078275-10860	EL 500E	120V, 50/60 HZ, (Optional 277V Operation), always on path marking, 3 high powered red LEDs

