

# FLAME-RESISTANT

NFPA  
70E



EXTREMES  
carhartt

Back of Parka

## Flame-Resistant Extremes® Arctic Parka

100783

HRC 4  
ATPV  
(CAL/CM²)  
50

9-ounce FR canvas; 88% cotton/12% high-tenacity nylon with Wind Fighter™ technology that tames the wind · Unique sherpa-lined interior back panel for increased warmth · Fully insulated with 200g 3M™ Thinsulate™ Platinum Insulation FR with twill face cloth · Nomex® FR inside-waist adjustable draw cord to keep the weather out · Heavy duty 2-way Vislon® zipper with Nomex® FR zipper tape · Full-length interior/exterior storm-flap and hook-and-loop closure · Grip friendly zipper-pull · Deep adjustable snorkel hood with a removable inherent FR scruff · Two front chest pockets with flaps and hook-and-loop closure · Left shoulder utility band for mic clip · Left chest pocket has a radio integration pass-through slot inside front left pocket to allow mic cord to pass through the pocket into the interior of the garment · Nomex® FR mesh gas monitor pocket over right chest pocket · Left sleeve upper arm pocket angled for ease of use · Two lower-front insulated double pockets with top entry and side hand warmer entry · Clip-friendly D-ring loops under pocket flaps · Triple-needle stitched main seams · Pleated bi-swing back · Nomex® FR rib knit cuffs · 2-inch yellow/silver/yellow contrasting stripe with 3M™ Scotchlite™ Reflective Material [#8940] around torso and sleeves with X-pattern on back · Four generous interior pockets, two upper and two lower · Interior pocket includes an ID patch · Meets the performance requirements of NFPA 70E standards

410

3M  
Thinsulate Platinum  
INSULATION  
FR

Style #/Color  
100783-410/Dark Navy

| XS | S | M | L | XL | 2XL | 3XL | 4XL | 5XL | 6XL |
|----|---|---|---|----|-----|-----|-----|-----|-----|
| ▲  | ● | ● | ● | ●  | ●   | ●   | ●   | ▲   | ▲   |
| ▲  | ▲ | ● | ● | ●  | ●   | ●   | ▲   | ▲   | ▲   |

REGULAR

TALL

▲ Extended Sizes – Order Style #101644

NFPA  
70E



EXTREMES  
carhartt

Back of Coat

## Flame-Resistant Extremes® Arctic Coat

100784

HRC 4  
ATPV  
(CAL/CM²)  
50

9-ounce FR canvas; 88% cotton/12% high-tenacity nylon with Wind Fighter™ technology that tames the wind · Unique sherpa-lined interior back panel for increased warmth · Fully Insulated with 200g 3M™ Thinsulate™ Platinum Insulation FR with twill face cloth · Insulated stand-up collar · Nomex® FR inside-waist adjustable draw cord to keep the weather out · Heavy duty Vislon® two-way zipper with Nomex® FR zipper tape · Full-length interior/exterior storm flap and hook-and-loop closure · Grip friendly zipper-pull · Two front chest pockets with flaps and hook-and-loop closure · Left chest pocket has pencil opening · Left shoulder utility band for mic clip · Left chest pocket has a radio integration pass-through slot inside front left pocket to allow mic cord to pass through the pocket into the interior of the garment · Nomex® FR mesh gas monitor pocket over right chest pocket · Left sleeve upper arm pocket angled for ease of use · Two lower-front insulated double pockets with top entry and side hand warmer entry · Clip-friendly D-ring loops under pocket flaps · Triple-needle stitched main seams · Pleated bi-swing back · Nomex® FR rib knit cuffs · 2-inch yellow/silver/yellow contrasting stripe with 3M™ Scotchlite™ Reflective Material [#8940] around torso and sleeves with X-pattern on back · Four generous interior pockets, two upper and two lower · Interior pocket includes an ID patch · Concealed snaps around collar to accommodate accessory hood 101392 · Meets the performance requirements of NFPA 70E standards

410

3M  
Thinsulate Platinum  
INSULATION  
FR

Style #/Color  
100784-410/Dark Navy

| XS | S | M | L | XL | 2XL | 3XL | 4XL | 5XL | 6XL |
|----|---|---|---|----|-----|-----|-----|-----|-----|
| ▲  | ● | ● | ● | ●  | ●   | ●   | ●   | ▲   | ▲   |
| ▲  | ▲ | ● | ● | ●  | ●   | ●   | ▲   | ▲   | ▲   |

REGULAR

TALL

▲ Extended Sizes – Order Style #101645

# FLAME-RESISTANT

NFPA 70E

NFPA 2112



## Flame-Resistant Duck Traditional Coat / Quilt-Lined 101618

**HRC 4** **HEAVYWEIGHT** 13-ounce, 100% FR cotton duck · 11.5-ounce FR quilt lining; FR modacrylic batting quilted to FR twill face cloth · Two inside patch pockets with FR hook-and-loop closures · Nomex® FR inside-waist adjustable draw cord · Nomex® FR rib-knit storm cuffs · Two-way brass zipper with Nomex® FR zipper tape plus inside and outside protective flaps and hook-and-loop closure for electric-arc protection · Under-collar snaps for optional FR hood [FRA265] · Back length: Large Regular: 31.5 inches; Large Tall: 33.5 inches · Carhartt FR and NFPA 2112/HRC 4 labels sewn on left-chest pocket · Meets the performance requirements of NFPA 70E standards and is UL® Classified to NFPA 2112 · Replaces FRC066



Style #/Color  
 101618-410/Dark Navy  
 101618-211/Carhartt Brown  
 101618-001/Black  
 101618-075/Steel

| XS | S | M | L | XL | 2XL | 3XL | 4XL | 5XL | 6XL |         |
|----|---|---|---|----|-----|-----|-----|-----|-----|---------|
| ▲  | ● | ● | ● | ●  | ●   | ●   | ●   | ●   | ●   | REGULAR |
| ▲  | ▲ | ▲ | ▲ | ▲  | ▲   | ▲   | ▲   | ▲   | ▲   | TALL    |

▲ Extended Sizes – Order Style #101642

NFPA 70E

NFPA 2112



Back of Coat

## NEW Flame-Resistant Striped Duck Traditional Coat / Quilt-Lined AVAILABLE JULY 2015 101695

**HRC 4** **HEAVYWEIGHT** 13-ounce, 100% cotton FR duck · 11.5-ounce FR quilt lining; FR modacrylic batting quilted to FR twill face cloth · Fleece-lined insulated stand-up collar with flap to cover hidden snaps for detachable optional FR hood [FRA265] · Two large patch pockets with flaps and hook-and-loop closures. · Left pocket has radio integration pass-through slot inside to allow mic cord to pass through the pocket into interior of the garment · Two inside pockets: right patch pocket with FR hook-and-loop closures, and left bellow pocket with elastic top entry and microphone pass through · Nomex® FR inside-waist adjustable draw cord · Nomex® FR rib-knit storm cuffs · Two-way brass zipper with Nomex® FR tape plus inside and outside protective flaps with hook-and-loop closure for electric-arc protection · Two utility bands on chest · Triple-stitched main seams · Bi-swing back and elbow pleats for ease of movement · 13-ounce fabric is CGSB155.20-2000 certified · Yellow/Silver/Yellow 2-inch contrasting trim [RT80™ 220C N3000] with 3M™ Scotchlite™ Reflective Material (#9740) ANSI/NFPA 2112 approved reflective trim · 360° visibility with “X” pattern on back · Back length: Large Regular 31.5 inches; Large Tall: 33.5 inches · Carhartt FR and NFPA 2112/HRC 4 labels sewn on left chest pocket · Meets the performance requirements of NFPA 70E standards and is UL® Classified to NFPA 2112 · Replaces 100161



Style #/Color  
 101695-001/Black  
 101695-434/Royal

| XS | S | M | L | XL | 2XL | 3XL | 4XL | 5XL | 6XL |         |
|----|---|---|---|----|-----|-----|-----|-----|-----|---------|
| ▲  | ● | ● | ● | ●  | ●   | ●   | ●   | ●   | ●   | REGULAR |
| ▲  | ▲ | ▲ | ▲ | ▲  | ▲   | ▲   | ▲   | ▲   | ▲   | TALL    |

▲ Extended Sizes – Order Style #102091

NFPA 70E

NFPA 2112



## Flame-Resistant Duck Active Jac / Quilt-Lined 101621

**HRC 4** **HEAVYWEIGHT** 13-ounce, 100% cotton FR duck · 11.5-ounce, FR quilt lining; FR modacrylic batting quilted to FR twill face cloth · Two inside patch pockets with FR hook-and-loop closures · Nomex® FR rib-knit cuffs and waistband · Brass front zipper with Nomex® FR zipper tape plus inside and outside protective flaps with hook-and-loop closure for electric-arc protection · Attached quilt-lined hood with adjustable Nomex® FR draw cord · Back length: Large Regular: 29 inches; Large Tall: 31 inches · Carhartt FR label sewn on front pocket; NFPA 2112/HRC4 label sewn on zipper flap · Meets the performance requirements of NFPA 70E standards and is UL® Classified to NFPA 2112 · Replaces FRJ184



Style #/Color  
 101621-211/Carhartt Brown  
 101621-410/Dark Navy  
 101621-001/Black

| XS | S | M | L | XL | 2XL | 3XL | 4XL | 5XL | 6XL |         |
|----|---|---|---|----|-----|-----|-----|-----|-----|---------|
| ▲  | ● | ● | ● | ●  | ●   | ●   | ●   | ●   | ●   | REGULAR |
| ▲  | ▲ | ▲ | ▲ | ▲  | ▲   | ▲   | ▲   | ▲   | ▲   | TALL    |

▲ Extended Sizes – Order Style #101649

# FLAME-RESISTANT

## Flame-Resistant Duck Bomber Jacket / Quilt-Lined 101623

**HRC 4**  
ATPV (CAL/CM²) 54.3

**HEAVYWEIGHT** 13-ounce, 100% cotton FR duck · 11.5-ounce FR quilt lining: FR modacrylic batting quilted to twill face cloth · Two inside patch pockets with FR hook-and loop closures · Nomex® FR rib-knit cuffs and waistband · Brass front zipper with Nomex® FR zipper tape plus inside and outside protective flaps with hook-and-loop closure for electric-arc protection · Under-collar snaps for optional FR hood (FRA265) · Back length: Large Regular: 29 inches; Large Tall: 31 inches · Carhartt FR label sewn on front pocket; NFPA 2112/HRC 4 label sewn on zipper flap · Meets the performance requirements of NFPA 70E standards and is UL® Classified to NFPA 2112 · Replaces FRJ195



Style #/Color  
101623-211/Carhartt Brown  
101623-410/Dark Navy

| XS | S | M | L | XL | 2XL | 3XL | 4XL | 5XL | 6XL |         |
|----|---|---|---|----|-----|-----|-----|-----|-----|---------|
| ▲  | ● | ● | ● | ●  | ●   | ●   | ●   | ●   | ▲   | REGULAR |
| ▲  | ▲ | ▲ | ▲ | ▲  | ▲   | ▲   | ▲   | ▲   | ▲   | TALL    |

▲ Extended Sizes – Order Style #101650



NFPA 70E

NFPA 2112

## Flame-Resistant Lanyard Access Jacket / Quilt-Lined 101625

**HRC 3**  
ATPV (CAL/CM²) 33.5


**MIDWEIGHT** 8.5-ounce, FR canvas: 88% cotton/12% high-tenacity nylon · 8.75-ounce, FR quilt lining: FR modacrylic batting quilted to FR twill face cloth · Pleated bi-swing back for greater ease of movement · Flapped back opening admits a lanyard for attachment to a safety harness · Two-chest pockets with flaps and hook-and-loop closures · Two large lower pockets · Two inside patch pockets with FR hook-and loop closures · Inner-sleeve Nomex® FR rib-knit storm cuffs · Hook-and-loop adjustable cuffs cinch tight to fit under work gloves · Brass front zipper with Nomex® FR tape plus inside and outside protective flaps with hook-and-loop closure for electric-arc protection · Under-collar snaps for optional FR hood (FRA002) · Back length: Large Regular 29.75 inches; Large Tall: 31.75 inches · Carhartt FR and NFPA 2112/HRC 3 labels sewn on left-chest pocket · Meets the performance requirements of NFPA 70E standards and is UL® Classified to NFPA 2112 · Replaces FRJ003



Style #/Color  
101625-211/Carhartt Brown  
101625-001/Black  
101625-410/Dark Navy

| XS | S | M | L | XL | 2XL | 3XL | 4XL | 5XL | 6XL |         |
|----|---|---|---|----|-----|-----|-----|-----|-----|---------|
| ▲  | ● | ● | ● | ●  | ●   | ●   | ●   | ●   | ▲   | REGULAR |
| ▲  | ▲ | ▲ | ▲ | ▲  | ▲   | ▲   | ▲   | ▲   | ▲   | TALL    |

▲ Extended Sizes – Order Style #101652



Back

NFPA 70E

NFPA 2112

## Flame-Resistant Midweight Active Jac / Quilt-Lined 101622

**HRC 3**  
ATPV (CAL/CM²) 33.5

**MIDWEIGHT** 8.5-ounce, FR canvas: 88% cotton/12% high-tenacity nylon · 8.75-ounce, FR quilt lining: FR modacrylic batting quilted to twill face cloth · Two lower front pockets · Two inside patch pockets with FR hook-and-loop closures · Nomex FR rib-knit cuffs and waistband · Brass front zipper with Nomex® FR tape plus inside and outside protective flaps with hook-and-loop closure for electric-arc protection · Attached quilt-lined hood with adjustable Nomex® FR draw cord · Back length: Large Regular: 29 inches; Large Tall: 31 inches · Carhartt FR label sewn on front pocket; NFPA 2112/HRC 3 label sewn on zipper flap · Meets the performance requirements of NFPA 70E standards and is UL® Classified to NFPA 2112 · Replaces FRJ237



Style #/Color  
101622-410/Dark Navy  
101622-211/Carhartt Brown

| XS | S | M | L | XL | 2XL | 3XL | 4XL | 5XL | 6XL |         |
|----|---|---|---|----|-----|-----|-----|-----|-----|---------|
| ▲  | ● | ● | ● | ●  | ●   | ●   | ●   | ●   | ▲   | REGULAR |
| ▲  | ▲ | ▲ | ▲ | ▲  | ▲   | ▲   | ▲   | ▲   | ▲   | TALL    |

▲ Extended Sizes – Order Style #101654



NFPA 70E

NFPA 2112

# FLAME-RESISTANT

NFPA  
70E

NFPA  
2112



## Flame-Resistant Midweight Canvas Dearborn Jacket / Quilt-Lined

101624

HRC 3  
ATPV  
(CAL/CM²)  
33.5

**MIDWEIGHT** 8.5-ounce, FR canvas: 88% cotton/12% high-tenacity nylon · 8.75-ounce, FR quilt lining; FR modacrylic batting quilted to twill face-cloth · Two inside patch pockets with FR hook-and-loop closures · Brass front zipper with Nomex® FR zipper tape plus inside and outside protective flaps with hook-and-loop closure for electric-arc protection · Under-collar snaps for optional FR hood (FRA002) · Back length: Large Regular: 28.75 inches; Large Tall: 30.75 inches · Carhartt FR and NFPA 2112/HRC 3 labels sewn on left-front pocket · Meets the performance requirements of NFPA 70E standards and is UL® Classified to NFPA 2112 · Replaces FRJ164

211 410

Style #/Color  
101624-211/Carhartt Brown  
101624-410/Dark Navy

| XS | S | M | L | XL | 2XL | 3XL | 4XL | 5XL | 6XL |         |
|----|---|---|---|----|-----|-----|-----|-----|-----|---------|
| ▲  | ● | ● | ● | ●  | ●   | ●   | ●   | ●   | ●   | REGULAR |
| ▲  | ▲ | ▲ | ▲ | ▲  | ▲   | ▲   | ▲   | ▲   | ▲   | TALL    |

▲ Extended Sizes — Order Style #101653

NFPA  
70E



## Flame-Resistant All-Season Bomber Jacket

FRJ020

HRC 2  
ATPV  
(CAL/CM²)  
19.2

**MIDWEIGHT** 8.5-ounce, FR canvas: 88% cotton/12% high-tenacity nylon · 6-ounce twill face cloth lining · Two lower-front pockets · Two inside patch pockets with FR hook-and-loop closures · Nomex® FR rib-knit cuffs and waistband · Brass front zipper with Nomex® FR tape plus inside and outside protective flaps with hook-and-loop closure for electric-arc protection · Back length: Large Regular: 29 inches; Large Tall: 31 inches · Carhartt FR label sewn on front pocket; HRC 2 label sewn on zipper flap · Meets the performance requirements of NFPA 70E standards

BRN DNY

Style #/Color  
FRJ020-BRN/Carhartt Brown  
FRJ020-DNY/Dark Navy

| XS | S | M | L | XL | 2XL | 3XL | 4XL | 5XL | 6XL |         |
|----|---|---|---|----|-----|-----|-----|-----|-----|---------|
| ▲  | ● | ● | ● | ●  | ●   | ●   | ●   | ●   | ●   | REGULAR |
| ▲  | ▲ | ▲ | ▲ | ▲  | ▲   | ▲   | ▲   | ▲   | ▲   | TALL    |

▲ Extended Sizes — Order Style #101651

NFPA  
70E



## Flame-Resistant Mock Neck Vest

101029

HRC 4  
ATPV  
(CAL/CM²)  
43

8.5-ounce, FR canvas: 88% cotton/12% FR nylon · FR sherpa lining · Two large front pockets · Two inside pockets · Drop tail for added coverage · Back length: Large Regular: 27.75 inches; Large Tall: 29.25 inches · Carhartt FR label and HRC 4 label sewn on left pocket · Meets the performance requirements of NFPA 70E standards

410 211  
NEW

Style #/Color  
101029-410/Dark Navy  
101029-211/Carhartt Brown\*

| XS | S | M | L | XL | 2XL | 3XL | 4XL | 5XL | 6XL |         |
|----|---|---|---|----|-----|-----|-----|-----|-----|---------|
| ▲  | ● | ● | ● | ●  | ●   | ●   | ●   | ●   | ●   | REGULAR |
| ▲  | ▲ | ▲ | ▲ | ▲  | ▲   | ▲   | ▲   | ▲   | ▲   | TALL    |

▲ Extended Sizes — Order Style #101634

\*Available July 2015

**Flame-Resistant Heavyweight Hooded Sweatshirt**

FRK006

**HRC 3** **ORIGINAL FIT** Heavyweight, 14.25-ounce, FR fleece: 58% cotton/35% modacrylic/7% polyester blend with Rain Defender® durable water-repellent finish · Fights odor · Attached hood with adjustable draw-cord closure · Stretchable, spandex-reinforced rib-knit cuffs and waistband · Front hand-warmer pocket · Carhartt FR and NFPA 2112/HRC 3 labels sewn on pocket · Meets the performance requirements of NFPA 70E standards and is UL® Classified to NFPA 2112

**DNY**

Style #/Color  
FRK006-DNY/Dark Navy

| XS | S | M | L | XL | 2XL | 3XL | 4XL | 5XL | 6XL |         |
|----|---|---|---|----|-----|-----|-----|-----|-----|---------|
| ▲  | ● | ● | ● | ●  | ●   | ●   | ●   | ●   | ▲   | REGULAR |
| ▲  | ▲ | ● | ● | ●  | ●   | ●   | ▲   | ▲   |     | TALL    |

▲ Extended Sizes – Order Style #101675



NFPA 70E  
NFPA 2112

**Flame-Resistant Force Rugged Flex™ Quarter-Zip Fleece**

101576

**HRC 2** **RELAXED FIT** 12.5-ounce, 95% cotton/5% spandex FR fleece · Carhartt Force® fights odors and its FastDry® technology wicks away sweat for comfort · Mock-neck collar with quarter-zip Vislon® zipper with Nomex® FR zipper tape · Front hand-warmer pocket · Smooth flatlock seams · Carhartt logo and NFPA 2112/HRC 2 flag label sewn to exterior · Meets the performance requirements of NFPA 70E standards and is UL® Classified to NFPA 2112

**410**

Style #/Color  
101576-410/Dark Navy

| S | M | L | XL | 2XL | 3XL | 4XL | 5XL |         |
|---|---|---|----|-----|-----|-----|-----|---------|
| ● | ● | ● | ●  | ●   | ●   | ●   | ●   | REGULAR |
| ● | ● | ● | ●  | ●   | ●   | ●   | ●   | TALL    |



NFPA 70E  
NFPA 2112

carhartt  
**FORCE**

**Flame-Resistant Force Rugged Flex™ Hooded Full-Zip Fleece**

101577

**HRC 2** **RELAXED FIT** 12.5-ounce, 95% cotton/5% spandex FR fleece · Carhartt Force® fights odors and its FastDry® technology wicks away sweat for comfort · Attached hood with FR draw cord · Map pocket on left side · Vislon® zipper front closure with Nomex® FR zipper tape · Two front hand-warmer pockets · Smooth flatlock seams · Carhartt logo and NFPA 2112/HRC 2 flag label sewn to exterior · Meets the performance requirements of NFPA 70E standards and is UL® Classified to NFPA 2112

**410**

Style #/Color  
101577-410/Dark Navy

| S | M | L | XL | 2XL | 3XL | 4XL | 5XL |         |
|---|---|---|----|-----|-----|-----|-----|---------|
| ● | ● | ● | ●  | ●   | ●   | ●   | ●   | REGULAR |
| ● | ● | ● | ●  | ●   | ●   | ●   | ●   | TALL    |



NFPA 70E  
NFPA 2112

carhartt  
**FORCE**