


Rebar Cutter

Cuts rebar, cost and time

Solves the #1 problem in concrete drilling



Cutting Rebar

Step 1:

Drill with SDS-plus® carbide bit and remove after contact with rebar

Step 2:

Replace bit with rebar cutter and switch to rotary mode

Step 3:

Cut through rebar and remove after contact with concrete

Step 4:

Switch back to hammer carbide bit to continue drilling

Straight Shank Rebar Cutters

Item #	Diameter	Length	Qty.
RCSS2064	3/8"	12"	1
RCSS2084	1/2"	12"	1
RCSS2094	9/16"	12"	1
RCSS2104	5/8"	12"	1
RCSS2124	3/4"	12"	1
RCSS2144	7/8"	12"	1
RCSS2164	1"	12"	1
RCSS2168	1-1/8"	12"	1
RCSS2172	1-1/4"	12"	1
RCSS2176	1-1/2"	12"	1
RCSS2086	1/2"	18"	1
RCSS2106	5/8"	18"	1
RCSS2126	3/4"	18"	1


*Available in SDS-plus®—see page 18

Straight Shank Extensions

Item #	Diameter	Length	Qty.
EX1006	7/16" shank	6"	1
EX1012	7/16" shank	12"	1

Concrete Screw Anchoring System

Holds tight tolerances that are critical to precision anchoring



Common Applications:

- ▶ Conduit
- ▶ Electrical boxes
- ▶ Pipe straps
- ▶ HVAC strapping
- ▶ Sign fastening
- ▶ Window frames
- ▶ Backer boards

Flat Shank Hex Masonry Drill Bits

For use with masonry fastening systems/hex sleeve drive tools.
Hex drive on bit fits into driver sleeve.

Item #	Diameter	Length	Qty.	Bulk Item #	Bulk Qty.
TC100	5/32"	3-1/2"	1	TC1005	5
				TC1025	25
TC200	5/32"	4-1/2"	1	TC2005	5
				TC2025	25
TC300	5/32"	5-1/2"	1	TC3005	5
				TC3025	25
TC400	3/16"	3-1/2"	1	TC4005	5
				TC4025	25
TC500	3/16"	4-1/2"	1	TC5005	5
				TC5025	25
TC600	3/16"	5-1/2"	1	TC6005	5
				TC6025	25

Flat Shank Hex Accessories

For use with masonry fastening systems/hex sleeve drive tools.
Hex drive on bit fits into driver sleeve.

Item #	Description	Qty.
TC700	Masonry screw drill bit holder	1
TC800	Masonry screw drill bit sleeve	1
TCNS516	Drill bit nutsetter 5/16" hex	1
TCNS14	Drill bit nutsetter 1/4" hex	1
TCSDP2	Concrete screwdriving bit P2	1
TCSDP3	Concrete screwdriving bit P3	1

Flat Shank Drill Bit Set

For use with masonry fastening systems/hex sleeve drive tools.
Hex drive on bit fits into driver sleeve.

Item #	# of Pieces	Includes	Case Type
TC900	9	Power bits: (1) P2, (1) P3; hex sockets: (1) 5/16", (1) 1/4"; drill bits: (1) 3/16", (1) 5/32"; (1) drive sleeve, (1) hex key, (1) bit holder	Brute Tough™



Toll free: 877-BOSCH-99

Impact Tough™



Takes the impact and completes the job

Engineered for high torque

Bosch has engineered a line of screwdriving bits, nutsetters and sockets that can handle torque-generated from today's high-powered impact drivers.


Screwdriver bits available in



Forged tip
reduces breakage

Torsion zone
absorbs torque peaks
reducing stress at the tip

Hardened core
increases bit strength,
reduces fracture



Insert Bits



Pkg. Item #	Point	Length	Shank	Hardness	Pkg. Qty.	Bulk Item #
ITP1102	P1	1"	1/4"	Impact Tough™	2	27209
ITP2102	P2	1"	1/4"	Impact Tough™	5	27210
ITP2110	P2	1"	1/4"	Impact Tough™	10	27210
—	P2R reduced	1"	1/4"	Impact Tough™	—	27212
—	P3	1"	1/4"	Impact Tough™	—	27211
ITSQ1102	R1	1"	1/4"	Impact Tough™	2	27219
ITSQ2102	R2	1"	1/4"	Impact Tough™	2	27220
ITSQ3102	R3	1"	1/4"	Impact Tough™	2	27224
—	T10	1"	1/4"	Impact Tough™	—	27229
ITTX20201	T20	1"	1/4"	Impact Tough™	2	27230
ITTX25201	T25	1"	1/4"	Impact Tough™	2	27231
—	T30	1"	1/4"	Impact Tough™	—	27232
IT60482	2" magnetic bit holder impact	2"	1/4"	Impact Tough™	—	27287

Power Bits



Pkg. Item #	Point	Length	Shank	Hardness	Pkg. Qty.	Bulk Item #
ITP1201	P1	1-15/16"	1/4"	Impact Tough™	1	27213
ITP2201	P2	1-15/16"	1/4"	Impact Tough™	1	27214
ITP3201	P3	1-15/16"	1/4"	Impact Tough™	1	27216
ITP2301	P2	3-1/2"	1/4"	Impact Tough™	1	27217
ITP2601	P2	6"	1/4"	Impact Tough™	1	27218
—	R1	1-15/16"	1/4"	Impact Tough™	—	27225
ITSQ2201	R2	1-15/16"	1/4"	Impact Tough™	—	27226
—	R3	1-15/16"	1/4"	Impact Tough™	1	27227
—	R2	3-1/2"	1/4"	Impact Tough™	—	27228
—	T15	1-15/16"	1/4"	Impact Tough™	—	27233
—	T20	1-15/16"	1/4"	Impact Tough™	—	27234
—	T25	1-15/16"	1/4"	Impact Tough™	—	27235
—	T30	1-15/16"	1/4"	Impact Tough™	—	27236

Nutsetters



Pkg. Item #	Point	Length	Shank	Hardness	Pkg. Qty.	Bulk Item #
ITNS14	1/4"	1-5/8"	1/4"	Impact Tough™	1	27237
ITNS516	5/16"	1-7/8"	1/4"	Impact Tough™	1	27238
ITNS38	3/8"	1-7/8"	1/4"	Impact Tough™	1	27239
—	7/16"	1-7/8"	1/4"	Impact Tough™	—	27240
—	1/4"	2-9/16"	1/4"	Impact Tough™	—	27241
—	5/16"	2-9/16"	1/4"	Impact Tough™	—	27242
—	3/8"	2-9/16"	1/4"	Impact Tough™	—	27243
—	7/16"	2-9/16"	1/4"	Impact Tough™	—	27244
IT2490	3 pc—(1) 1/4", (1) 5/16", (1) 3/8"	1-5/8" to 1-7/8"	1/4"	Impact Tough™	3	—



Nutsetters

Hex Shank Nutsetters



Pkg. Item #	Size	Length	Magnetic	Hardness	Pkg. Qty.	Bulk Item #
NS316101	3/16"	1-3/8"	No	Extra	1	—
NS141401MAG	1/4"	1-1/8"	Yes	Extra	1	—
—	1/4"	1-1/8"	Yes	Extra	—	38686
NS141401	1/4"	1-7/16"	No	Extra	1	—
NS161601MAG	5/16"	1-1/8"	Yes	Extra	1	—
—	5/16"	1-1/8"	Yes	Extra	—	38687
ND5161401	5/16"	1-7/16"	No	Extra	1	—
NS381401MAG	3/8"	1-1/8"	Yes	Extra	1	38688
ND31601	3/8"	1-1/2"	No	Extra	1	—

Quick-Change Nutsetters




Pkg. Item #	Size	Length	Magnetic	Hardness	Pkg. Qty.	Bulk Item #
—	8mm	1-5/8"	Yes	Extra	—	38328
—	10mm	1-7/8"	Yes	Extra	—	38329
ITNS14	1/4"	1-5/8"	Yes	Impact Tough™	—	27237
—	1/4"	1-5/8"	Yes	Extra	—	31450
—	1/4"	1-5/8"	No	Extra	—	29090
NS14201	1/4"	2"	Yes	Extra	1	37427
—	1/4"	2-9/16"	Yes	Impact Tough™	—	27241
NS1429601	1/4"	2-9/16"	Yes	Extra	1	37582
—	1/4"	2-9/16"	No	Extra	—	37585
—	1/4"	4"	Yes	Extra	—	38641
—	1/4"	6"	Yes	Extra	—	38645
—	5/16"	1-5/8"	Yes	Extra	—	31452
—	5/16"	1-5/8"	No	Extra	—	29091
ITNS516	5/16"	1-7/8"	Yes	Impact Tough™	—	27238
—	5/16"	2-9/16"	Yes	Impact Tough™	—	27242
NS51629601	5/16"	2-9/16"	Yes	Extra	1	37583
—	5/16"	4"	Yes	Extra	—	38642
—	5/16"	6"	Yes	Extra	—	38646
ITNS38	3/8"	1-7/8"	Yes	Impact Tough™	—	27239
—	3/8"	1-7/8"	Yes	Extra	—	36165
NS381401	3/8"	1-7/8"	No	Extra	1	—
—	3/8"	1-7/8"	No	Extra	—	36166
—	3/8"	2-9/16"	Yes	Impact Tough™	—	27243
NS3829601	3/8"	2-9/16"	Yes	Extra	1	37584
—	7/16"	1-7/8"	Yes	Impact Tough™	—	27240
NS716201MAG	7/16"	2"	Yes	Extra	1	37893
—	7/16"	2-9/16"	Yes	Impact Tough™	—	27244
NS71629601	7/16"	2-9/16"	Yes	Extra	1	38639

Nutsetter Set

Pkg. Item #	# of Pieces	Includes	Length	Magnetic	Hardness
IT2490	3	(1) 1/4", (1) 5/16", (1) 3/8"	1-5/8", 1-5/8", 1-7/8"	Yes	Impact Tough™


NOTE: Bulk screwdriver bits can be ordered in multiples of one where quantity is not noted. Minimum quantities may apply

No-Round Nutsetters



Pkg. Item #	Size	Length	Magnetic	Hardness	Pkg. Qty.	Bulk Item #
NS11401	1/4"	1-5/8"	Yes	Extra	1	61938
—	1/4"	2"	Yes	Extra	—	61942
—	1/4"	2-9/16"	Yes	Extra	—	61943
NS51601	5/16"	1-5/8"	Yes	Extra	1	61939
—	5/16"	2-9/16"	Yes	Extra	—	61944
NS3801	3/8"	1-7/8"	Yes	Extra	1	61940
—	3/8"	2-9/16"	Yes	Extra	—	61945
—	7/16"	2"	Yes	Extra	—	61941
—	7/16"	2-9/16"	Yes	Extra	—	61946

No-Round Nutsetter



Superior Grip
Contact point at middle of hex avoids stripping

Bit Holders and Screwguides

Bit Holders



Pkg. Item #	Description	Length	Shank	Hardness	Pkg. Qty.	Bulk Item #
BMAG1	Mag grip holder (set)	—	1/4"	Extra	—	—
CC60491	Compact drive guide	3-1/4"	1/4"	Extra	1	—
CC60482	2" magnetic bit tip holder	2"	1/4"	Extra	1	—
CC60486	6" magnetic bit tip holder	6"	1/4"	Extra	1	27750
—	2" magnetic bit holder impact	2"	1/4"	Impact Tough™	—	27287
—	Standard with c-ring	2-7/8"	1/4"	Extra	—	27690
—	Standard with c-ring	4"	1/4"	Extra	—	27710
—	Standard with c-ring	5"	1/4"	Extra	—	27730
—	Standard with c-ring	11"	1/4"	Extra	—	27792

One-Piece Construction Bit Holders



Pkg. Item #	Description	Length	Shank	Hardness	Pkg. Qty.	Bulk Item #
—	One-piece construction non-magnetic bit holder	2-1/8"	1/4"	Extra	—	38215
—	One-piece construction magnetic bit holder	2-1/8"	1/4"	Extra	—	40831
—	One-piece construction magnetic bit holder	3"	1/4"	Extra	—	40833
CC60483	One-piece construction magnetic bit holder (without c-ring retainer)	2-7/8"	1/4"	Extra	1	39972

NOTE: Bulk screwdriver bits can be ordered in multiples of one where quantity is not noted. Minimum quantities may apply



Toll free: 877-BOSCH-99