



# Switch Disconnectors

## 3KA, 3KE Switch Disconnectors up to 1000 A

Accessories





## Selection and ordering data

Version	DT	Article No.	Price per PU	PU (UNIT, SET, M)	PS*/P. unit	PG	Weight per PU approx. kg
<b>3KA5030/3KA5130</b>							
	▶	<b>Terminal covers</b>					
		For 3-pole devices (1 set = 6 units)	<b>3KX3552-3DA01</b>	1	1 unit	103	0.078
		For 4-pole devices (1 set = 8 units)	<b>3KX3552-3DB01</b>	1	1 unit	103	0.096
	▶	<b>Door-coupling rotary operating mechanisms IP65</b>					
		Black handle, shaft 300 mm	<b>8UC7111-1BB10</b>	1	1 unit	103	0.358
		EMERGENCY-STOP (yellow/red), shaft 300 mm	<b>8UC7121-3BB10</b>	1	1 unit	103	0.368
	▶	<b>Operating mechanisms for fixed mounting</b>					
		Black handle, shaft 250 mm	<b>3KX3516-1AA</b>	1	1 unit	103	0.102
	▶	<b>Extension shaft 300 mm long</b>					
			<b>8UC6031</b>	1	1 unit	103	0.068
	▶	<b>Extension shaft 600 mm long</b>					
			<b>8UC6081</b>	1	1 unit	103	0.136
	▶	<b>Shaft connecting pieces</b>					
			<b>8UC6021</b>	1	1 unit	103	0.027
	▶	<b>Auxiliary switches</b>					
		1 NO + 1 NC	<b>3SB1400-0A</b>	1	1 unit	41J	0.019
		2 NO	<b>3SB1400-0G</b>	1	1 unit	41J	0.019
		2 NC	<b>3SB1400-0H</b>	1	1 unit	41J	0.020
<b>3KA5040/3KA5140/3KA52/3KA53</b>							
	▶	<b>Terminal covers</b>					
		For 3-pole 3KA52 devices (1 set = 6 units)	<b>3KX3552-3DA01</b>	1	1 unit	103	0.078
		For 3KA53	<b>3KX3553-3DA01</b>	1	1 unit	103	0.151
	▶	<b>Door-coupling rotary operating mechanisms IP65</b>					
		Black handle, shaft 300 mm	<b>8UC7212-1BB20</b>	1	1 unit	103	0.404
		EMERGENCY-STOP (yellow/red), shaft 300 mm	<b>8UC7222-3BB20</b>	1	1 unit	103	0.423
	▶	<b>Operating mechanisms for fixed mounting</b>					
		Black handle, shaft 250 mm	<b>3KX3536-1AA</b>	1	1 unit	103	0.150
	▶	<b>Extension shaft 300 mm long</b>					
			<b>8UC6032</b>	1	1 unit	103	0.135
	▶	<b>Extension shaft 600 mm long</b>					
			<b>8UC6082</b>	1	1 unit	103	0.265
	▶	<b>Shaft connecting pieces</b>					
			<b>8UC6022</b>	1	1 unit	103	0.022
	▶	<b>Auxiliary switches</b>					
		1 NO + 1 NC	<b>3SB1400-0A</b>	1	1 unit	41J	0.019
		2 NO	<b>3SB1400-0G</b>	1	1 unit	41J	0.019
		2 NC	<b>3SB1400-0H</b>	1	1 unit	41J	0.020
		1 NO + 1 NC, 20 ms leading	<b>3KX3552-3EA01</b>	1	1 unit	103	0.022
<b>3KA55/3KA57/3KA58</b>							
	▶	<b>Terminal covers</b>					
		For 3-pole devices (1 set = 6 units)	<b>3KX3557-3DA01</b>	1	1 unit	103	0.293
		For 4-pole devices (1 set = 8 units)	<b>3KX3557-3DB01</b>	1	1 unit	103	0.370
	▶	<b>Door-coupling rotary operating mechanisms IP65</b>					
		Black handle, shaft 300 mm	<b>8UC7313-1BB30</b>	1	1 unit	103	0.998
		EMERGENCY-STOP (yellow/red), shaft 300 mm	<b>8UC7323-3BB30</b>	1	1 unit	103	1.016
	▶	<b>Operating mechanisms for fixed mounting</b>					
		Black handle, shaft 250 mm	<b>3KX3176-1E</b>	1	1 unit	103	0.287
	▶	<b>Extension shaft 300 mm long</b>					
			<b>8UC6033</b>	1	1 unit	103	0.215
	▶	<b>Extension shaft 600 mm long</b>					
			<b>8UC6083</b>	1	1 unit	103	0.424
	▶	<b>Shaft connecting pieces</b>					
			<b>8UC6023</b>	1	1 unit	103	0.083
	▶	<b>Auxiliary switches</b>					
		1 NO + 1 NC	<b>3SB1400-0A</b>	1	1 unit	41J	0.019
		2 NO	<b>3SB1400-0G</b>	1	1 unit	41J	0.019
		2 NC	<b>3SB1400-0H</b>	1	1 unit	41J	0.020
		1 NO + 1 NC, 20 ms leading	<b>3KX3552-3EA01</b>	1	1 unit	103	0.022

# Switch Disconnectors

## 3KA, 3KE Switch Disconnectors up to 1000 A

### Accessories













Version	DT	Article No.	Price per PU	PU (UNIT, SET, M)	PS*/P. unit	PG	Weight per PU approx. kg		
<b>3KE42/3KE43</b>									
<b>Changeover switches</b>									
 <p>3KX2210-0D</p>		<b>Changeover switches with break-before-make feature</b> Switch I ON – Switch II OFF Switch I OFF – Switch II OFF Switch I OFF – Switch II ON		<b>3KX2210-0D</b>	1	1 unit	103	2.450	
		<b>Door-coupling rotary operating mechanisms IP65</b> Black handle for changeover switch with break-before-make feature, shaft 300 mm		<b>8UC7414-1BF44</b>	1	1 unit	103	1.208	
		<b>Direct operating mechanisms</b> Handle (black) for fixed mounting		<b>8UC9381</b>	1	1 unit	103	0.270	
		<b>Changeover switches without break-before-make feature</b> Switch I ON – Switch II OFF Switch I ON – Switch II ON Switch I OFF – Switch II ON		<b>3KX2210-0E</b>	1	1 unit	103	2.451	
		<b>Door-coupling rotary operating mechanisms IP65</b> Black handle for changeover switch without break-before-make feature, shaft 300 mm		<b>8UC7414-1FG44</b>	1	1 unit	103	1.113	
		<b>Direct operating mechanisms</b> Handle (black) for fixed mounting		<b>8UC9381</b>	1	1 unit	103	0.270	
		<b>Parallel switches</b> Switch I ON – Switch II ON Switch I OFF – Switch II OFF		<b>3KX2250-1A</b>	1	1 unit	103	0.780	
		<b>Door-coupling rotary operating mechanisms IP65</b> Handle (black), shaft 300 mm		<b>8UC7414-1BB44</b>	1	1 unit	103	1.159	
		<b>EMERGENCY-STOP door-coupling rotary operating mechanisms IP65</b> Handle (red), shaft 300 mm		<b>8UC7424-3BB44</b>	1	1 unit	103	1.120	
		<b>Direct operating mechanisms</b> Handle (black) for fixed mounting		<b>8UC9381</b>	1	1 unit	103	0.270	
	<b>Further accessories</b>								
	 <p>3KX3557-3DA01</p>		<b>Terminal covers</b> (1 set = 6 units)		<b>3KX3557-3DA01</b>	1	1 unit	103	0.293
			<b>Door-coupling rotary operating mechanisms IP65</b> Black handle, shaft 300 mm EMERGENCY-STOP (yellow/red), shaft 300 mm		<b>8UC7314-1BB44</b> <b>8UC7324-3BB44</b>	1 1	1 unit 1 unit	103 103	1.170 1.186
		<b>Extension shaft 300 mm long</b>		<b>8UC6034</b>	1	1 unit	103	0.316	
	<b>Extension shaft 600 mm long</b>		<b>8UC6084</b>	1	1 unit	103	0.628		
 <p>3KX2231-1A</p>		<b>Auxiliary switches with switching cam</b> 1 NO + 1 NC (complete mounting kit)		<b>3KX2231-1A</b>	1	1 unit	103	0.051	
		<b>Grounding brackets</b>		<b>3KX2252-1A</b>	1	1 unit	103	0.050	
	<b>Arc chutes</b> (spare part with 3 arc-splitter assemblies)		<b>3KY2202-0B</b>	1	1 unit	103	0.600		
 <p>3KY2204-0A</p>		<b>Arcing contacts</b> (spare part with 3 fixed and 3 movable contacts)		<b>3KY2204-0A</b>	1	1 unit	103	0.201	

# Switch Disconnectors

## 3KL Switch Disconnectors with Fuses up to 800 A

Accessories

## Selection and ordering data

Version	DT	Article No.	Price per PU	PU (UNIT, SET, M)	PS*/P. unit	PG	Weight per PU approx. kg
<b>3KL5030</b>							
 3KL5030		<b>Terminal covers</b> For 3-pole devices (1 set = 6 units)	▶	<b>3KX3552-3DA01</b>	1	1 unit	103 0.078
 3KX35.7-3AA		<b>Fuse covers</b> (interlock only detachable in the OFF position)	▶	<b>3KX3517-3AA</b>	1	1 unit	103 0.041
		<b>Cover IP20</b> For 3-pole devices	▶	<b>3KX3507-0CA02</b>	1	1 unit	103 0.530
		<b>Fuse partitions</b> (1 set = 5 units)	▶	<b>3KX3507-0AA01</b>	1	1 unit	103 0.040
 3KX3507-0BA01		<b>Lyre-shaped fuse covers</b> (1 set = 6 units)		<b>3KX3507-0BA01</b>	1	1 unit	103 0.030
		<b>Door-coupling rotary operating mechanisms IP65</b> Black handle, shaft 300 mm EMERGENCY-STOP (yellow/red), shaft 300 mm		<b>8UC7111-1BB10</b> <b>8UC7121-3BB10</b>	1 1	1 unit 1 unit	103 0.358 103 0.368
		<b>Operating mechanisms for fixed mounting</b> Black handle, shaft 250 mm	▶	<b>3KX3516-1AA</b>	1	1 unit	103 0.102
		<b>Extension shaft 300 mm long</b>		<b>8UC6031</b>	1	1 unit	103 0.068
		<b>Extension shaft 600 mm long</b>		<b>8UC6081</b>	1	1 unit	103 0.136
		<b>Shaft connecting pieces</b>		<b>8UC6021</b>	1	1 unit	103 0.027
		<b>Auxiliary switches</b> 1 NO + 1 NC 2 NO 2 NC		<b>3SB1400-0A</b> <b>3SB1400-0G</b> <b>3SB1400-0H</b>	1 1 1	1 unit 1 unit 1 unit	41J 0.019 41J 0.019 41J 0.020
 3SB1400-0A		<b>Fuse monitor connections</b> (1 set = 6 units)		<b>3KX3505-0AA</b>	1	1 unit	103 0.021
<b>3KL5040/3KL52/3KL53</b>							
 3KL5040		<b>Terminal covers</b> For 3-pole devices (1 set = 6 units)		<b>3KX3552-3DA01</b>	1	1 unit	103 0.078
 3KL5040		• 3KL52	▶	<b>3KX3552-3DA01</b>	1	1 unit	103 0.078
 3KL5040		• 3KL53	▶	<b>3KX3553-3DA01</b>	1	1 unit	103 0.151
 3KL5040		For 4-pole devices (1 set = 8 units)		<b>3KX3552-3DB01</b>	1	1 unit	103 0.096
 3KL5040		• 3KL5040, 3KL52		<b>3KX3553-3DB01</b>	1	1 unit	103 0.167
 3KL5040		• 3KL53		<b>3KX3527-3AA</b>	1	1 unit	103 0.070
 3KX35.7-3AA		<b>Fuse covers<sup>1)</sup></b> (interlock only detachable in the OFF position)	▶	<b>3KX3527-3AA</b>	1	1 unit	103 0.070
		<b>Cover IP20</b> For 3KL52 3-pole devices	▶	<b>3KX3527-0CA02</b>	1	1 unit	103 0.745
		<b>Cover IP20</b> For 3KL53 3-pole devices	▶	<b>3KX3537-0CA02</b>	1	1 unit	103 0.725
		<b>Fuse partitions</b> (1 set = 5 units)	▶	<b>3KX3507-0AA01</b>	1	1 unit	103 0.040
 3KX3507-0BA01		<b>Lyre-shaped fuse covers</b> (1 set = 6 units)		<b>3KX3507-0BA01</b>	1	1 unit	103 0.030

<sup>1)</sup> Für 3KX3527-3AA: Not suitable for use with type A4 BS fuses.

# Switch Disconnectors

## 3KL Switch Disconnectors with Fuses up to 800 A

### Accessories

Version	DT	Article No.	Price per PU	PU (UNIT, SET, M)	PS*/P. unit	PG	Weight per PU approx. kg
<b>Door-coupling rotary operating mechanisms IP65</b>							
Black handle, shaft 300 mm		<b>8UC7212-1BB20</b>		1	1 unit	103	0.404
EMERGENCY-STOP (yellow/red), shaft 300 mm		<b>8UC7222-3BB20</b>		1	1 unit	103	0.423
<b>Operating mechanisms for fixed mounting</b>							
Black handle, shaft 250 mm	▶	<b>3KX3536-1AA</b>		1	1 unit	103	0.150
<b>Extension shaft 300 mm long</b>							
		<b>8UC6032</b>		1	1 unit	103	0.135
<b>Extension shaft 600 mm long</b>							
		<b>8UC6082</b>		1	1 unit	103	0.265
<b>Shaft connecting pieces</b>							
		<b>8UC6022</b>		1	1 unit	103	0.022
<b>Auxiliary switches</b>							
1 NO + 1 NC		<b>3SB1400-0A</b>		1	1 unit	41J	0.019
2 NO		<b>3SB1400-0G</b>		1	1 unit	41J	0.019
2 NC		<b>3SB1400-0H</b>		1	1 unit	41J	0.020
1 NO + 1 NC, 20 ms leading		<b>3KX3552-3EA01</b>		1	1 unit	103	0.022
<b>Fuse monitor connections</b>							
(1 set = 6 units)		<b>3KX3505-0AA</b>		1	1 unit	103	0.021
<b>3KL55/3KL57</b>							
<b>Terminal covers</b>							
For 3-pole devices (1 set = 6 units)	▶	<b>3KX3557-3DA01</b>		1	1 unit	103	0.293
For 4-pole devices (1 set = 8 units)		<b>3KX3557-3DB01</b>		1	1 unit	103	0.370
<b>Fuse covers</b>							
(interlock only detachable in the OFF position)	▶	<b>3KX3557-3AA</b>		1	1 unit	103	0.231
<b>Cover IP20</b>							
For 3-pole devices	▶	<b>3KX3557-0CA02</b>		1	1 unit	103	1.255
<b>Fuse partitions</b>							
(1 set = 5 units)	▶	<b>3KX3557-0AA01</b>		1	1 unit	103	0.122
<b>Door-coupling rotary operating mechanisms IP65</b>							
Black handle, shaft 300 mm		<b>8UC7313-1BB30</b>		1	1 unit	103	0.998
EMERGENCY-STOP (yellow/red), shaft 300 mm		<b>8UC7323-3BB30</b>		1	1 unit	103	1.016
<b>Operating mechanisms for fixed mounting, size 3</b>							
Black handle, shaft 250 mm	▶	<b>3KX3176-1E</b>		1	1 unit	103	0.287
<b>Extension shaft 300 mm long</b>							
		<b>8UC6033</b>		1	1 unit	103	0.215
<b>Extension shaft 600 mm long</b>							
		<b>8UC6083</b>		1	1 unit	103	0.424
<b>Shaft connecting pieces</b>							
		<b>8UC6023</b>		1	1 unit	103	0.083
<b>Auxiliary switches</b>							
1 NO + 1 NC		<b>3SB1400-0A</b>		1	1 unit	41J	0.019
2 NO		<b>3SB1400-0G</b>		1	1 unit	41J	0.019
2 NC		<b>3SB1400-0H</b>		1	1 unit	41J	0.020
1 NO + 1 NC, 20 ms leading		<b>3KX3552-3EA01</b>		1	1 unit	103	0.022
<b>Fuse monitor connections</b>							
(1 set = 6 units)		<b>3KX3505-0AA</b>		1	1 unit	103	0.021
<b>3KL61/3KL62</b>							
<b>Terminal covers</b>							
For 3-pole devices (1 set = 6 units)	▶	<b>3KX3561-3DA01</b>		1	1 unit	103	0.282
For 4-pole devices (1 set = 8 units)		<b>3KX3561-3DB01</b>		1	1 unit	103	0.380
<b>Fuse covers</b>							
Cover plate		<b>3KX3561-0AA00</b>		1	1 unit	113	0.376
Complete covers <sup>1)</sup>		<b>3KX3561-1AA00</b>		1	1 unit	113	0.408
<b>Door-coupling rotary operating mechanisms IP65</b>							
Black handle, shaft 300 mm		<b>8UC7414-1BB44</b>		1	1 unit	103	1.159
	▶	<b>+ 8UC9253</b>		1	1 unit	103	0.113
EMERGENCY-STOP (yellow/red), shaft 300 mm		<b>8UC7424-3BB44</b>		1	1 unit	103	1.120
	▶	<b>+ 8UC9253</b>		1	1 unit	103	0.113
<b>Operating mechanisms for fixed mounting, size 5</b>							
Black handle, shaft 250 mm	▶	<b>3KX3616-1A</b>		1	1 unit	103	0.500
<b>Extension shaft 300 mm long</b>							
		<b>8UC6034</b>		1	1 unit	103	0.316
<b>Extension shaft 600 mm long</b>							
		<b>8UC6084</b>		1	1 unit	103	0.628
<b>Shaft connecting pieces</b>							
		<b>8UC6024</b>		1	1 unit	103	0.078
<b>Auxiliary switches<sup>2)</sup></b>							
1 NO + 1 NC		<b>3KX3612-1B</b>		1	1 unit	113	0.130



3SB1400-0A



3KX35.7-3AA



3KX3176-1E



3SB1400-0A



8UC9253

<sup>1)</sup> Only for NH fuse systems



<sup>2)</sup> For more 3SB3400-0. contact blocks with other contact types, see IC 10 catalog, chapter 10 "Pushbutton Units and Indicator Lights"

# Switch Disconnectors

## 3KM Switch Disconnectors with Fuses and Isolating Plug Connector up to 400 A

### Accessories






#### Selection and ordering data

Version	DT	Article No.	Price per PU	PU (UNIT, SET, M)	PS*/P. unit	PG	Weight per PU approx.
							kg
<b>3KM50</b>							
 3KX35.7-3AA		<b>Terminal covers</b> For 3-pole devices (1 set = 6 units)	▶	<b>3KX3552-3DA01</b>	1	1 unit	103 0.078
		<b>Fuse covers</b> (interlock only detachable in the OFF position)	▶	<b>3KX3517-3AA</b>	1	1 unit	103 0.041
		<b>Fuse partitions</b> (1 set = 5 units)	▶	<b>3KX3507-0AA01</b>	1	1 unit	103 0.040
		<b>Lyre-shaped fuse covers</b> (1 set = 6 units)		<b>3KX3507-0BA01</b>	1	1 unit	103 0.030
		<b>Door-coupling rotary operating mechanisms IP65</b> Black handle, shaft 300 mm		<b>8UC7111-1BB10</b>	1	1 unit	103 0.358
		EMERGENCY-STOP (yellow/red), shaft 300 mm		<b>8UC7121-3BB10</b>	1	1 unit	103 0.368
		<b>Operating mechanisms for fixed mounting</b> Black handle, shaft 250 mm	▶	<b>3KX3516-1AA</b>	1	1 unit	103 0.102
		<b>Extension shaft 300 mm long</b>		<b>8UC6031</b>	1	1 unit	103 0.068
		<b>Extension shaft 600 mm long</b>		<b>8UC6081</b>	1	1 unit	103 0.136
		<b>Shaft connecting pieces</b>		<b>8UC6021</b>	1	1 unit	103 0.027
		<b>Auxiliary switches</b> 1 NO + 1 NC		<b>3SB1400-0A</b>	1	1 unit	41J 0.019
		2 NO		<b>3SB1400-0G</b>	1	1 unit	41J 0.019
		2 NC		<b>3SB1400-0H</b>	1	1 unit	41J 0.020
		<b>Fuse monitor connections</b> (1 set = 6 units)		<b>3KX3505-0AA</b>	1	1 unit	103 0.021
<b>3KM52/3KM53</b>							
 3KX35.7-3AA		<b>Terminal covers</b> For 3-pole devices (1 set = 6 units)	▶	<b>3KX3552-3DA01</b>	1	1 unit	103 0.078
			▶	<b>3KX3553-3DA01</b>	1	1 unit	103 0.151
		<b>Fuse covers<sup>1)</sup></b> (interlock only detachable in the OFF position)	▶	<b>3KX3527-3AA</b>	1	1 unit	103 0.070
		<b>Fuse partitions</b> (1 set = 5 units)	▶	<b>3KX3507-0AA01</b>	1	1 unit	103 0.040
		<b>Lyre-shaped fuse covers</b> (1 set = 6 units)		<b>3KX3507-0BA01</b>	1	1 unit	103 0.030
		<b>Door-coupling rotary operating mechanisms IP65</b> Black handle, shaft 300 mm		<b>8UC7212-1BB20</b>	1	1 unit	103 0.404
		EMERGENCY-STOP (yellow/red), shaft 300 mm		<b>8UC7222-3BB20</b>	1	1 unit	103 0.423
		<b>Operating mechanisms for fixed mounting</b> Black handle, shaft 250 mm	▶	<b>3KX3536-1AA</b>	1	1 unit	103 0.150

<sup>1)</sup> Für 3KX3527-3AA: Not suitable for use with type A4 BS fuses.

## 3KM Switch Disconnectors with Fuses and Isolating Plug Connector up to 400 A

## Accessories

Version	DT	Article No.	Price per PU	PU (UNIT, SET, M)	PS*/P. unit	PG	Weight per PU approx. kg
		<b>Extension shaft 300 mm long</b>		1	1 unit	103	0.135
		<b>Extension shaft 600 mm long</b>		1	1 unit	103	0.265
		<b>Shaft connecting pieces</b>		1	1 unit	103	0.022
		<b>Auxiliary switches</b>					
		1 NO + 1 NC		1	1 unit	41J	0.019
		2 NO		1	1 unit	41J	0.019
		2 NC		1	1 unit	41J	0.020
		1 NO + 1 NC, 20 ms leading		1	1 unit	103	0.022
		<b>Fuse monitor connections</b> (1 set = 6 units)		1	1 unit	103	0.021
<b>3KM55/3KM57</b>							
		<b>Terminal covers</b>					
		For 3-pole devices (1 set = 6 units)		1	1 unit	103	0.293
		For 4-pole devices (1 set = 8 units)		1	1 unit	103	0.370
		<b>Fuse covers</b> (interlock only detachable in the OFF position)		1	1 unit	103	0.231
							
3KX35.7-3AA							
		<b>Fuse partitions</b> (1 set = 5 units)		1	1 unit	103	0.122
							
3KX3557-0AA01							
		<b>Door-coupling rotary operating mechanisms IP65</b>					
		Black handle, shaft 300 mm		1	1 unit	103	0.998
		EMERGENCY-STOP (yellow/red), shaft 300 mm		1	1 unit	103	1.016
		<b>Operating mechanisms for fixed mounting, size 3</b>					
		Black handle, shaft 250 mm		1	1 unit	103	0.287
							
3KX3176-1E							
		<b>Extension shaft 300 mm long</b>		1	1 unit	103	0.215
		<b>Extension shaft 600 mm long</b>		1	1 unit	103	0.424
		<b>Shaft connecting pieces</b>		1	1 unit	103	0.083
		<b>Auxiliary switches</b>					
		1 NO + 1 NC		1	1 unit	41J	0.019
		2 NO		1	1 unit	41J	0.019
		2 NC		1	1 unit	41J	0.020
		1 NO + 1 NC, 20 ms leading		1	1 unit	103	0.022
		<b>Fuse monitor connections</b> (1 set = 6 units)		1	1 unit	103	0.021
							
3SB1400-0A							