



GP Universal Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
GP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	30	11.5	30	100/case
GP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	20	25	10	30	100/bale
GP200	Light Wt. Pad	15"x19"	Yes, 7.5"	20	44	16	22	200/case
GP500	Light Wt. Pad	15"x19"	Yes, 7.5"	20	22	8.2	30	100/case
MXU1000	Light Wt. Pad (non-dimpled)	15"x19"	Yes, 7.5"	24	27	11	30	100/case



GP Universal Rolls

Continuous rolls are ideal for covering larger areas.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
GP30	Heavy Wt. Roll	30"x150'	No	13	48	28	12	1/bale

▶ Save on Disposal Costs with MAXX Absorbents

Brady SPC's innovative MAXX technology process produces high absorbency products with reduced weight. You'll use fewer pads to clean-up a spill and will have lower overall disposal weights and costs.

**Specialty Product:
For High
Traffic**



HT - "High Traffic" Absorbents

Multi-use absorbent built for durability and high absorbency in "high traffic" and busy problem areas.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- 2-ply construction with safety printed coverstock reduces linting and increases durability while meltblown fibers grip the floor below

Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Printed Safety Message:** Warns of slip, trip and fall hazards due to liquid spills

▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Coverstock:** Safety Printed Top Coverstock (2-Ply)
- Durability:** ✓✓
- Linting:** Low Linting
- Absorbencies:** Heavy, Medium & Light Weight
- Cost:** \$ \$

▶ Recommended For:

- Extra tough for foot & walkways
- Printed safety message for areas where slips, trips and falls may occur

Printed safety message warns of slip, trip and fall hazards



Catalog #	Type	Size	Perforated	Absorbency Factor (g/l/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
HT Rolls								
HT30	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	47	32	12	1/case
HT555	Heavy Wt. Roll*	15"x150'	Yes (3), 5" and every 18"	12.5	23	16	24	1/case
HT15	Heavy Wt. Roll	15"x150'	Yes, every 15"	12.5	23	16	24	1/case
HT303	Medium Wt. Roll	30"x300'	Yes, 15" and every 15"	12.5	63	40	8	1/bale
HT350	Medium Wt. Roll	30"x150'	Yes, 15" and every 18"	12.5	35	20	12	1/bale
HT153	Medium Wt. Roll	15"x300'	Yes, every 15"	12.5	32	20	16	1/bale
HT230	Light Wt. Roll	30"x300'	Yes, 15" and every 15"	12.5	42.5	29.5	8	1/bale
HT215	Light Wt. Roll	15"x300'	Yes, every 15"	12.5	21.5	15	16	1/bale

* Does not include print.

**Specialty Product:
For High
Abrasion**



UXT - “Xtra Tough” Absorbents

Extra tough absorbents for applications that require high durability, non-linting and abrasion-resistance.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- 3-ply construction with coverstock on both sides maximizes durability and minimizes linting
- Extra strength allows for wringing and re-use

Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting

▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Coverstock:** Top & Bottom Coverstock (3-Ply)
- Durability:** ✓✓✓
- Linting:** Low Linting
- Absorbencies:** Heavy, Medium & Light Weight
- Cost:** \$\$\$

▶ Recommended For:

- Wiping highly abrasive surfaces such as tools and machinery
- Machining, maintenance or food processing



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
UXT Pads								
UXT100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	11	19.5	14.5	30	100/case
UXT300	Medium Wt. Pad	15"x19"	Yes, 7.5"	11	17	12	30	100/case
UXT200	Light Wt. Pad	15"x19"	Yes, 7.5"	11	31.5	18.5	22	200/case
UXT Rolls								
UXT30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	11	37	27.5	12	1/case
UXT15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	11	17	14.5	24	1/case



Oil Plus Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Oil Plus Pads								
OP50	Heavy Wt. Pad	30"x30"	Yes, 15"	12.5	41	24	11	50/case
OP150DND	Heavy Wt. Pad*	15"x19"	Yes, 7.5"	12.5	39	27	18	150/case
OP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case
OP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14	30	100/case

*Features Dispense-N-Dispose® System



Oil Plus Rolls

Continuous rolls are ideal for covering larger areas.


Perforations make it easy to select smaller sizes when needed.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
OP30-DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	49	33	12	1/case
OP30P	Heavy Wt. Roll	30"x150'	Yes, every 30"	12.5	49	33	12	1/case
OP30	Heavy Wt. Roll	30"x150'	No	12.5	49	33	12	1/case
OP15-DP	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	24	17.5	24	1/case
OP15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12.5	24	17.5	24	1/case
OP15	Heavy Wt. Roll	15"x150'	No	12.5	24	17.5	24	1/case
OP350-DP	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	38	26.5	12	1/case
OP315P	Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	19	14	24	1/case

▶ Dispense-N-Dispose® System:

OP150DND features 150 heavy weight pads in a unique Dispense-N-Dispose® system - packaging doubles as a dispenser and a disposal bin all at once.





SPC105 features blue coverstock on one side.

SPC Oil Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SPC50	Heavy Wt. Pad	33"x39"	No	18	73	33.5	10	50/bale*
SPC100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	35	14	30	100/bale*
SPC105	Heavy Wt. Pad (1 side w/blue coverstock)	15"x19"	Yes, 7.5"	18	24	14	30	100/bale*
SPC300	Medium Wt. Pad	15"x19"	Yes, 7.5"	18	30	11	30	100/bale*
SPC200	Light Wt. Pad	15"x19"	Yes, 7.5"	18	51	16	24	200/bale*
SPC500	Light Wt. Pad	15"x19"	Yes, 7.5"	18	20	8.2	36	100/bale*

*SPC Oil Absorbents packaged in a blue bag.



SPC Oil Rolls

Continuous rolls are ideal for covering larger areas.

Blanket rolls maximize absorbency and can be cut to size.

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SPC150	Heavy Wt. Roll	38"x144'	No	15	70	33	18	1/bale*
SPC152	Heavy Wt. Roll	19"x144'	No	15	70	33	18	2/bale*

*SPC Oil Absorbents packaged in a blue bag.

**Specialty Product:
For High
Abrasion**



SXT® Oil Only Absorbents

The ideal absorbent when durability, abrasion resistance and low linting are required.

- Oil only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- Durable 3-ply meltblown polypropylene construction with abrasion-resistant top and bottom coverstock layers
- Extra strength allows for wringing and re-use

Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting

▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Oil-based Fluids
- Coverstock:** Top & Bottom Coverstock (3-Ply)
- Durability:** ✓✓✓
- Linting:** Low Linting
- Absorbencies:** Heavy, Medium & Light Weight
- Cost:** \$ \$ \$

▶ Recommended For:

- Extra abrasive wiping
- High tech industries
- Paper industries
- Machining of small parts
- Precision engineering



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SXT Oil Pads								
SXT100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12	19.5	14.5	30	100/case
SXT300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12	17	10	30	100/case
SXT200	Light Wt. Pad	15"x19"	Yes, 7.5"	12	31.5	18	22	200/case
SXT Oil Rolls								
SXT30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12	37	26.5	12	1/case
SXT15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12	18	14	24	1/case

**Specialty Product:
For General
Chemical
Use**



BASIC Chemical Absorbents

Economical chemical absorbents for drips, spills and leaks that may involve hazardous chemicals.

- Chemical absorbency for areas where chemicals may be present
- Product will not react with aggressive fluids
- Economical single-ply construction

Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Bright Color:** Warns of presence of chemicals for proper disposal

▶ Product Summary:

- Absorbs:** Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, Unknown Chemicals
- Coverstock:** No Coverstock (1-Ply)
- Durability:** ✓
- Linting:** High Linting
- Absorbencies:** Heavy & Light Weight
- Cost:** \$

▶ Recommended For:

- Drips and spills involving hazardous chemicals
- Chemical Spill Response Teams
- Laboratories and Hospitals



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
BASIC Chemical Pads								
new BPH100	Heavy Wt. Pad	15"x17"	Yes, 7.5"	18	20	8.5	30	100/bale
new BPH200	Light Wt. Pad	15"x17"	Yes, 7.5"	18	34	13.7	24	200/bale
new BPH500	Light Wt. Pad	15"x17"	Yes, 7.5"	18	17	7	36	100/bale
BASIC Chemical Rolls								
new BRH150	Heavy Wt. Roll	30"x150'	Yes, every 30"	18	38	19.5	18	1/bale
new BRH152	Heavy Wt. Split Roll	15"x150'	Yes, every 30"	18	38	19.5	18	2/bale

Specialty Product:
Barrier Backed



BRIGHTSORB™ High Visibility Barrier-Backed Mat

Absorbency, signage and durability all in one.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based). Product will not react with aggressive fluids.
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for ultimate durability

Additional Features:

- **Barrier Backing:** Prevents liquid from reaching the floor underneath
- **Printed Message:** Warns of slips, trips and falls
- **Bright Color:** Color-coded for safety and easy separation of hazardous waste

Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Construction:** Safety Printed Coverstock & Barrier backing (3-Ply)
- Durability:** ✓ ✓ ✓
- Linting:** Low Linting
- Absorbencies:** Heavy Weight
- Cost:** \$\$\$

Recommended For:

- Areas with low visibility
- Lining aisles and walkways
- High-traffic areas prone to leaks, drips and spills



Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
BRIGHTSORB™ High Visibility Barrier Backed Mat Pads								
new CHBB100	Heavy Wt. Pad	15"x19"	No	11.7	21	15.8	30	100/case
BRIGHTSORB™ High Visibility Barrier Backed Mat Rolls								
new CHBB30	Heavy Wt. Roll	30"x100'	No	11.7	27	22	12	1/bale
new CHBB15	Heavy Wt. Roll	15"x100'	No	11.7	13	11	24	1/bale

BRIGHTSORB™ High Visibility SOCs and Pillows

- Polypropylene SOCs handle most fluids (water, petroleum and chemical-based) and will not react with aggressive fluids
- SOCs feature flexible design that easily molds around equipment, containing fluids from reaching nearby aisles and walkways
- Pillows are ideal for extra protection during packaging and transport or use under spill pallets or machines that are known to drip or leak



Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SOCs							
new CH124	SOC	3"x12'	9	12	12	40	4/case
new CH412	SOC	3"x4'	9	12	12	40	12/case
Pillows							
new CH1818	Pillow	18"x18"	12.5	14	9.5	15	16/case

BRIGHTSORB™ High Visibility Spill Kits **new**

When a spill occurs, use spill kits for quick and efficient clean up.

Kits include everything you need to contain your spill – a variety of absorbents, PPE and instructions. These BRIGHTSORB™ polypropylene spill kits handle most fluids (water, petroleum and chemical-based) and will not react with aggressive fluids. Their bright color and printed message warn of the potential for slip, trip and fall hazards during spill clean-up.



BRIGHTSORB™ MAXX® Packs

- Mini-packs in resealable zipper bags
- 20 durable 2-ply pads
- Kit dimensions: 15.5"L x 19.5"W x 20.5"H

Contents:

- 20 pads (15" x 19")

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
new MXP-C20	BRIGHTSORB Chemical	30	14	24	5/case



BRIGHTSORB™ Economy Spill Kit

- Highly visible, yellow PVC bag for small spills
- Absorbs up to 5 gallons per kit
- Kit dimensions: 20"L x 16"W x 4"H

Contents:

- 10 pads (15" x 19")
- 2 SOCs (3" x 4')
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
new SKCH-PP	BRIGHTSORB Chemical	5	5	20	4/case