



www.marathonbroadband.com

Channel Nuts

Marathon Channel Nuts provide a secure, adjustable threaded connection for channel strut systems. Designed to simplify installation while maintaining strong holding power, these components support fast, flexible assembly in a wide range of mechanical, electrical, and structural applications.

Features and Benefits:

- **Secure, reusable threaded connection:** Enables fast installation and repositioning without welding or drilling.
- **Spring and non-spring options:** Provides flexibility for temporary or fixed installations.
- **Even load distribution and resistance to rotation:** Helps maintain alignment and prevents loosening over time.
- **Compatible with standard channel strut systems:** Ensures reliable fit and broad application compatibility.

Channel Nuts

Marathon Catalog Number	Wesco Part Number	Anixter Part Number	Description	Thread Size	Thickness		Approx. Weight Per 100 Pieces	
				(in.)	(in.)	(mm)	(lbs.)	(kg)
MAR-SN-1420	40156499255	10432117	Spring Nut	1/4-20	0.25	6.3	6.7	3.0
MAR-SN-3816	40156499254	10432119	Spring Nut	3/8-16	0.38	9.5	9.3	4.2
MAR-SN-1213	40156499253	10432121	Spring Nut	1/2-13	0.38	9.5	11.6	5.3
MAR-SCN-25	40156499232	10527246	Channel Nut W/O Spring	1/4-20	0.25	6.3	6.7	3.0
MAR-SCN-37	40156499231	10527247	Channel Nut W/O Spring	3/8-16	0.38	9.5	9.3	4.2
MAR-SCN-50	40156499230	10527248	Channel Nut W/O Spring	1/2-13	0.38	9.5	11.6	5.3

Marathon products are sold by Wesco through these websites:

buy.wesco.com
Anixter.com
Phone: 866-746-3519

251151D005
D260508-VF

Square Washers

Marathon Square Washers are designed to enhance load distribution and improve connection stability when used with channel strut assemblies. Their larger surface area helps protect strut channels while increasing overall joint integrity.

Features and Benefits:

- **Improved load distribution:** Reduces point loading and potential deformation of strut channels.
- **Enhanced joint stability:** Helps maintain even pressure across connections.
- **Durable steel construction:** Provides long-term strength in demanding environments.
- **Simple, universal application:** Works seamlessly with channel nuts and threaded hardware.

Square Washers

Marathon Catalog Number	Wesco Part Number	Anixter Part Number	Thread Size	Thickness		Approx. Weight Per 100 Pieces	
			(in.)	(in.)	(mm)	(lbs.)	(kg)
MAR-SW-25	40156499229	10527249	1/4-20	0.25	6.3	18.0	8.2
MAR-SW-37	40156499228	10527250	3/8-16	0.25	6.3	18.0	8.2
MAR-SW-50	40156499227	10527251	1/2-13	0.25	6.3	17.0	7.7

Marathon products are sold by Wesco through these websites:

buy.wesco.com
 Anixter.com
 Phone: 866-746-3519



www.marathonbroadband.com

Steel Beam Clamps

Marathon Beam Clamps offer a safe, non-invasive method for attaching strut systems to structural steel beams. Designed for strength and reliability, they eliminate the need for drilling or welding.

Features and Benefits:

- **Non-invasive beam attachment:** Preserves structural steel integrity.
- **High design load ratings:** Supports demanding overhead and structural applications.
- **Malleable iron option available:** Delivers enhanced strength where higher loads are required.
- **Fast installation:** Reduces labor time while maintaining a secure hold.

Marathon Catalog Number	Wesco Part Number	Anixter Part Number	Description	Thread Size	Design Load		Approx. Weight Per 100 Pieces	
				(in.)	(lbs.)	(kg)	(lbs.)	(kg)
MAR-MBC-1420	4015698885	10663134	Beam Clamp - Malleable Iron	1/4-20	150.0	68.2	24.0	10.9
MAR-BC-1420	40156499226	10527252	Beam Clamp	1/4-20	75.0	34.1	13.0	5.9
MAR-BC-3816	40156499225	10527253	Beam Clamp	3/8-16	200.0	90.9	13.0	5.9

Marathon products are sold by Wesco through these websites:

buy.wesco.com
Anixter.com
Phone: 866-746-3519

251151D008
D260508-VF



www.marathonbroadband.com

Angle Brackets

Marathon Angle Fittings provide reliable, structural connections for channel strut framing systems requiring precise alignment and secure load transfer. Available in 90-degree corner fittings and 45-degree open or closed configurations, these components support square connections, diagonal bracing, and angled assemblies. Designed for strength and versatility, they help create rigid, stable framing structures across a wide range of applications.

Features and Benefits:

- **90° and 45° alignment options:** Supports square corners as well as diagonal and angled bracing needs.
- **Open and closed bracket designs:** Offers flexibility to accommodate load requirements, clearance constraints, and installation preferences.
- **Multiple hole configurations:** Allows adaptable attachment and load distribution.
- **Heavy-duty steel construction:** Ensures durability and long-term performance under structural loads.
- **Enhances system rigidity:** Reinforces corners, intersections, and braced assemblies for improved stability.

Marathon products are sold by Wesco through these websites:

buy.wesco.com
Anixter.com
Phone: 866-746-3519

251151D009
D260508-VF



www.marathonbroadband.com

90° Angle Fittings

Marathon Catalog Number	Wesco Part Number	Anixter Part Number	Description	Height		Length		Thickness		Approx. Weight Per 100 Pieces	
				(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)
MAR-CA-001	40156499218	10527269	Corner Angle, Two Hole	1.88	47.63	2.00	50.80	0.22	5.56	37.0	16.8
MAR-CA-002	40156499217	10527270	Corner Angle, Three Hole	4.13	104.78	1.63	41.28	0.22	5.56	56.0	25.5
MAR-CA-003	40156499216	10527271	Corner Angle, Four Hole	4.13	104.78	3.50	88.90	0.22	5.56	68.0	30.9
MAR-CA-004	40156499215	10527272	Corner Angle, Three Hole	2.25	57.15	3.50	88.90	0.22	5.56	56.0	25.5

Angular Fittings

Marathon Catalog Number	Wesco Part Number	Anixter Part Number	Description	Height		Length		Thickness		Approx. Weight Per 100 Pieces	
				(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)
MAR-AB-001	40156499214	10527273	Open Angle Bracket, 45 Degree, Two Hole	3.00	76.20	2.31	58.74	0.22	5.56	58.0	26.4
MAR-AB-002	40156499213	10527274	Closed Angle Bracket, 45 Degree, Two Hole	3.50	88.90	2.50	63.50	0.22	5.56	63.0	28.6
MAR-AB-003	40156499212	10527275	Open Angle Bracket, 45 Degree, Four Hole	3.69	93.66	3.50	88.90	0.22	5.56	77.0	35.0
MAR-AB-004	40156499211	10527276	Closed Angle Bracket, 45 Degree, Four Hole	2.25	57.15	3.50	88.90	0.22	5.56	77.0	35.0

Marathon products are sold by Wesco through these websites:

buy.wesco.com
 Anixter.com
 Phone: 866-746-3519

251151D009
 D260508-VF

Wing Fittings

Marathon Wing Fittings are engineered for multi-directional strut connections, enabling complex framing configurations from a single connection point.

Features and Benefits:

- **Single, double, and triple angle options:** Supports highly adaptable layouts.
- **Multiple hole patterns:** Allows secure attachment in numerous orientations.
- **Efficient space utilization:** Reduces the number of required connection points.
- **Perfect for complex assemblies:** Ideal for intersecting strut systems.

Wing Fittings

Marathon Catalog Number	Wesco Part Number	Anixter Part Number	Description	Height		Length		Thickness		Approx. Weight Per 100 Pieces	
				(in.)	(mm)	(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)
MAR-WF-001R	40156499203	10527277	Wing Fitting, Three Hole, Single Angle Connector	2.06	52.39	3.50	88.90	0.22	5.56	54.0	24.5
MAR-WF-001L	40156499202	10527278	Wing Fitting, Three Hole, Single Angle Connector	2.06	52.39	3.50	88.90	0.22	5.56	54.0	24.5
MAR-WF-002R	40156499201	10527279	Wing Fitting, Six Hole, Single Angle Connector, Right Hand	3.94	100.01	5.38	136.53	0.22	5.56	120.0	54.5
MAR-WF-002L	40156499200	10527280	Wing Fitting, Six Hole, Single Angle Connector, Left Hand	3.94	100.01	5.38	136.53	0.22	5.56	120.0	54.5
MAR-WF-003	40156499199	10527281	Wing Fitting, Five Hole, Double Angle Connector	2.13	53.98	5.44	138.11	0.22	5.56	95.0	43.2
MAR-WF-004	40156499198	10527282	Wing Fitting, Six Hole, Triple Angle Connector	2.13	53.98	5.44	138.11	0.22	5.56	110.0	50.0
MAR-WF-005	40156499197	10527283	Wing Fitting, Twelve Hole, Triple Angle Connector	3.94	100.01	9.19	233.36	0.22	5.56	234.0	106.4

Marathon products are sold by Wesco through these websites:

buy.wesco.com
 Anixter.com
 Phone: 866-746-3519



www.marathonbroadband.com

Post Bases

Marathon Post Bases create a stable foundation for vertical strut installations, offering secure anchoring to floors, pads, or structural surfaces.

Features and Benefits:

- **Single and double post options:** Supports a wide range of load conditions.
- **Centered and offset designs:** Accommodates layout constraints and alignment needs.
- **Heavy-duty construction:** Provides long-term stability in structural applications.
- **Multiple hole patterns:** Allows secure anchor placement.

Marathon products are sold by Wesco through these websites:

buy.wesco.com
Anixter.com
Phone: 866-746-3519

251151D012
D260508-VF



www.marathonbroadband.com

Marathon Catalog Number	Wesco Part Number	Anixter Part Number	Description	Length		Width		Approx. Weight Per 100 Pieces	
				(in.)	(mm)	(in.)	(mm)	(lbs.)	(kg)
MAR-PB-001	40156499196	10527290	Single Post Base, Four Hole, 1-5/8" High, Square, Centered Offset	6.00	152.40	6.00	152.40	314.0	142.7
MAR-PB-002	40156499195	10527291	Single Post Base, Two Hole, 1-5/8" High, Rectangular	8.00	203.20	3.00	76.20	230.0	104.5
MAR-PB-003	40156499194	10527292	Single Post Base, Four Hole, 1-5/8" High, Square, Centered	6.00	152.40	6.00	152.40	314.0	142.7
MAR-PB-004	40156499193	10527293	Single Post Base, Four Hole, 3-1/2" High, Square, Centered Offset	6.00	152.40	6.00	152.40	392.0	178.2
MAR-PB-005	40156499192	10527294	Single Post Base, Two Hole, 6" X 3/1/2", Rectangular	6.00	152.40	3.50	88.90	312.0	141.8
MAR-PB-006	40156499191	10527295	Single Post Base, Two Hole, 3-1/2" High, Rectangular	8.00	203.20	3.00	76.20	312.0	141.8
MAR-PB-007	40156499190	10527296	Single Post Base, Four Hole, 3-1/2" High, Square, Centered	6.00	152.40	6.00	152.40	392.0	178.2
MAR-PB-008	40156499189	10527297	Double Post Base, Four Hole, 1-5/8" High, Square, Centered Offset	6.00	152.40	6.00	152.40	330.0	150.0
MAR-PB-009	40156499188	10527298	Double Post Base, Four Hole, 1-5/8" High, Square, Centered	6.00	152.40	6.00	152.40	330.0	150.0
MAR-PB-010	40156499187	10527299	Double Post Base, Two Hole, 3/1/2" High, Rectangular	8.00	203.20	3.00	76.20	250.0	113.6
MAR-PB-011	40156499057	10611726	Double Post Base, Four Hole, 3/1/2" High, Square, Centered	6.00	152.40	6.00	152.40	400.0	181.8
MAR-PB-012	40156499056	10611731	Double Post Base, Four Hole, 3/1/2" High, Square, Centered Offset	6.00	152.40	6.00	152.40	400.0	181.8

Marathon products are sold by Wesco through these websites:

buy.wesco.com
 Anixter.com
 Phone: 866-746-3519

251151D012
 D260508-VF



www.marathonbroadband.com

Conduit Clamps

Marathon Conduit Clamps provide a comprehensive solution for securing conduit and pipe to channel strut systems across a wide range of electrical and mechanical applications. From standard conduit support to heavy-duty O.D. pipe and EMT-specific installations, these clamps are engineered for strength, versatility, and ease of installation. Designed to meet commercial and industrial requirements, they deliver clean, code-compliant, and dependable support for every project.

Features and Benefits:

- **Versatile application coverage:** Suitable for standard conduit, EMT, and O.D. pipe, supporting a wide range of diameters and installation needs.
- **High load-bearing performance:** Strong vertical and horizontal load ratings ensure secure conduit positioning, even in demanding environments.
- **Efficient installation:** Fast, tool-efficient installation and two-piece clamp options reduce labor time and simplify positioning or maintenance.
- **Application-specific design:** EMT-specific sizing and engineered fit provide proper alignment, protection, and code compliance.
- **Durable steel construction:** Built for long-term reliability in commercial and industrial settings.
- **UL Certified options available:** Meets recognized safety and performance standards for confidence and compliance.
- **Clean, organized results:** Supports tidy, professional-looking installations that enhance overall system efficiency and appearance.

Marathon products are sold by Wesco through these websites:

buy.wesco.com
Anixter.com
Phone: 866-746-3519

251151D013
D260601-VF



www.marathonbroadband.com

Conduit Hangers

Marathon Catalog Number	Wesco Part Number	Anixter Part Number	Description	Conduit Size	Vertical Design Load		Horizontal Design Load		Approx. Weight Per 100 Pieces	
				(in.)	(lbs.)	(kg)	(lbs.)	(kg)	(lbs.)	(kg)
MAR-CC-37	40156499224	10527254	Conduit Clamp	3/8"-1/2"	50.0	22.7	-	-	6.0	2.7
MAR-CC-75	40156499223	10527255	Conduit Clamp	3/4"	50.0	22.7	-	-	7.0	3.2
MAR-CC-100	40156499222	10527256	Conduit Clamp	1"	60.0	27.3	-	-	8.0	3.6
MAR-CC-125	40156499221	10527257	Conduit Clamp	1-1/4"	75.0	34.1	-	-	10.0	4.5
MAR-CC-150	40156499220	10527258	Conduit Clamp	1-1/2"	80.0	36.4	-	-	16.0	7.3
MAR-CC-200	40156499219	10527259	Conduit Clamp	2	100.0	45.5	-	-	23.0	10.5

Marathon products are sold by Wesco through these websites:

buy.wesco.com
Anixter.com
Phone: 866-746-3519

251151D013
D260601-VF



www.marathonbroadband.com

O.D. Pipe and Conduit Clamps

Marathon Catalog Number	Wesco Part Number	Anixter Part Number	Description	Conduit Size	Vertical Design Load		Horizontal Design Load		Approx. Weight Per 100 Pieces	
				(in.)	(lbs.)	(kg)	(lbs.)	(kg)	(lbs.)	(kg)
MAR-PCP-0.50	40156498852	10432123	Zinc Plated Steel 2-Piece Rigid/IMC Conduit Clamp	1/2	400.0	181.8	50.0	22.7	11.0	5.0
MAR-PCP-0.75	40156498851	10432124	Zinc Plated Steel 2-Piece Rigid/IMC Conduit Clamp	3/4	600.0	272.7	75.0	34.1	12.0	5.5
MAR-PCP-1.00	40156498850	10432125	Zinc Plated Steel 2-Piece Rigid/IMC Conduit Clamp	1	600.0	272.7	75.0	34.1	13.0	5.9
MAR-PCP-1.25	40156498849	10432126	Zinc Plated Steel 2-Piece Rigid/IMC Conduit Clamp	1-1/4"	600.0	272.7	75.0	34.1	15.0	6.8
MAR-PCP-1.50	40156498848	10432127	Zinc Plated Steel 2-Piece Rigid/IMC Conduit Clamp	1-1/2"	800.0	363.6	125.0	56.8	23.0	10.5
MAR-PCP-2.00	40156498847	10432128	Zinc Plated Steel 2-Piece Rigid/IMC Conduit Clamp	2	800.0	363.6	125.0	56.8	34.0	15.5
MAR-PCP-2.50	40156498846	10432129	Zinc Plated Steel 2-Piece Rigid/IMC/ EMT Conduit Clamp	2-1/2"	800.0	363.6	125.0	56.8	38.0	17.3
MAR-PCP-3.00	40156498845	10432130	Zinc Plated Steel 2-Piece Rigid/IMC/ EMT Conduit Clamp	3	800.0	363.6	125.0	56.8	44.0	20.0
MAR-PCP-3.50	40156498844	10663139	Zinc Plated Steel 2-Piece Rigid/IMC/ EMT Conduit Clamp	3-1/2"	800.0	363.6	125.0	56.8	49.0	22.3
MAR-PCP-4.00	40156498843	10432131	Zinc Plated Steel 2-Piece Rigid/IMC/ EMT Conduit Clamp	4	800.0	363.6	125.0	56.8	54.0	24.5
MAR-PCP-5.00	40156498842	10663140	Zinc Plated Steel 2-Piece Rigid/IMC Conduit Clamp	5	1000.0	454.5	200.0	90.9	77.0	35.0
MAR-PCP-6.00	40156498841	10432132	Zinc Plated Steel 2-Piece Rigid/IMC Conduit Clamp	6	1000.0	454.5	200.0	90.9	100.0	45.5

Marathon products are sold by Wesco through these websites:

buy.wesco.com
 Anixter.com
 Phone: 866-746-3519

251151D013
 D260520-V1



www.marathonbroadband.com

EMT Conduit Clamps

Marathon Catalog Number	Wesco Part Number	Anixter Part Number	Description	Conduit Size	Vertical Design Load		Horizontal Design Load		Approx. Weight Per 100 Pieces	
				(in.)	(lbs.)	(kg)	(lbs.)	(kg)	(lbs.)	(kg)
MAR-PC-50	40156498840	10432133	Zinc Plated Steel 2-Piece EMT Conduit Clamp	5	400.0	181.8	50.0	22.7	10.0	4.5
MAR-PC-75	40156498839	10432135	Zinc Plated Steel 2-Piece EMT Conduit Clamp	7	400.0	181.8	50.0	22.7	10.0	4.5
MAR-PC-100	40156498838	10432137	Zinc Plated Steel 2-Piece EMT Conduit Clamp	1	600.0	272.7	75.0	34.1	16.0	7.3
MAR-PC-125	40156498837	10432139	Zinc Plated Steel 2-Piece EMT Conduit Clamp	1	600.0	272.7	75.0	34.1	19.0	8.6
MAR-PC-150	40156498836	10432141	Zinc Plated Steel 2-Piece EMT Conduit Clamp	1	800.0	363.6	125.0	56.8	28.0	12.7
MAR-PC-200	40156498835	10432143	Zinc Plated Steel 2-Piece EMT Conduit Clamp	2	800.0	363.6	125.0	56.8	33.0	15.0

Marathon products are sold by Wesco through these websites:

buy.wesco.com
 Anixter.com
 Phone: 866-746-3519

251151D013
 D260520-V1



www.marathonbroadband.com

Brackets

Marathon Brackets offer versatile support solutions for shelving, equipment mounting, and strut-based structural systems.

Features and Benefits:

- **Single and double channel options:** Supports varied load requirements.
- **Multiple lengths available:** Allows precise application matching.
- **High design load ratings:** Provides dependable strength.
- **Electro-galvanized and hot-dipped options:** Enhances corrosion resistance.

Brackets

Marathon Catalog Number	Wesco Part Number	Anixter Part Number	Description	Design Load		Approx. Weight Per 100 Pieces	
				(in.)	(mm)	(lbs.)	(kg)
MAR-SCB-12	40156499210	10527300	Single Channel Bracket, 12" Long	960.0	436.4	232.0	105.5
MAR-SCB-16	40156499061	10663135	Single Channel Bracket, 16" Long	730.0	331.8	314.0	142.7
MAR-SCB-24	40156499209	10527301	Single Channel Bracket, 24" Long	480.0	218.2	450.0	204.5
MAR-DCB-12	40156499208	10527302	Double Channel Bracket, 12" Long	1660.0	754.5	485.0	220.5
MAR-DCB-24	40156499207	10527303	Double Channel Bracket, 24" Long	835.0	379.5	857.0	389.5
MAR-SOCB-12	40156499206	10527304	Single Open Channel Bracket, 12" Long	800.0	363.6	284.0	129.1
MAR-SB-08R	40156499079	10527305	Shelf Bracket, 8", Right Bracing, Electro Galvanized or Hot Dipped Galvanized	225.0	102.3	82.0	37.3
MAR-SB-08L	40156499078	10527306	Shelf Bracket, 8", Left Bracing, Electro Galvanized or Hot Dipped Galvanized	225.0	102.3	82.0	37.3
MAR-SB-12R	40156499077	10527307	Shelf Bracket, 12", Right Bracing, Electro Galvanized or Hot Dipped Galvanized	350.0	159.1	143.0	65.0
MAR-SB-12L	40156499076	10527308	Shelf Bracket, 12", Left Bracing, Electro Galvanized or Hot Dipped Galvanized	350.0	159.1	143.0	65.0
MAR-SB-16	40156499060	10663136	Shelf Bracket, 16"	250.0	113.6	204.0	92.7
MAR-SB-20	40156499059	10663137	Shelf Bracket, 20"	250.0	113.6	275.0	125.0
MAR-SB-24	40156499058	10663138	Shelf Bracket, 24"	225.0	102.3	370.0	168.2

Marathon products are sold by Wesco through these websites:

buy.wesco.com
 Anixter.com
 Phone: 866-746-3519

251151D014
 D260507-VF