

Distribution Hoffman Enclosures Inc. d/b/a Pentair Equipment Protection ("Hoffman") brand products are sold through a world-wide network of selected Electrical Distributors. Hoffman is represented by area Sales Representatives located throughout the world. Contact Hoffman for the name of your nearest Representative or Distributor.

Delivery The estimated shipping date is based on production time required to process the order commencing with the date the order is received by us. In the event it is necessary to revise the design, specifications, or Conditions of Sale, the shipping date shall be automatically extended by the period of time required to achieve the mutually agreed upon corrections or adjustments of the design, specifications, or Conditions of Sale. Shortages and non-conformity of invoice and shipments must be reported to Pentair Equipment Protection Anoka via telephone or fax within 15 days of receipt. Failure of Purchaser to properly notify Hoffman will constitute acceptance of shipment.

Delays in Delivery The Purchaser shall not hold Hoffman responsible for any delay or for any damages suffered by the Purchaser by reason of any delay due to fires, strikes, riots, Acts of God, priorities, government orders or restrictions, delays in transportation, delays by suppliers of materials or parts, inability to obtain necessary labor, or other causes beyond the control of Hoffman. In the event of such delay, the shipping date shall be extended for a period equal to the time lost by reason of such delay.

Damage or Loss in Transit Delivery of goods to a carrier at Hoffman's plant or other shipping point shall constitute delivery. Regardless of freight payment, all risk of loss or damage in transit shall pass to Purchaser at that time. Hoffman will assist Purchaser in securing satisfactory adjustment of such claims if notified within 15 days of receipt. Terms are F.O.B. Hoffman Distribution Center.

Warranties For all products, other than McLean brand products which have the warranty terms set forth in the McLean Instruction Manual, Hoffman warrants goods manufactured by it to be free from defects in materials and workmanship for a period of (1) year from date of shipment from its plant. If within such period any such goods shall be proven to Hoffman's satisfaction to be defective, then and in that event such goods shall be repaired or replaced at Hoffman's option. Such corrections or replacement of defective goods shall constitute a fulfillment of all liabilities in respect to such goods. Under no circumstances will credit be allowed for unauthorized rework on any materials. Please consult the McLean Instruction Manual or contact your local Hoffman Representative for warranty information pertaining to McLean brand products.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER EXPRESS AND IMPLIED WARRANTIES WHATSOEVER, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Hoffman shall not be liable for damages to goods, property, or persons due to improper installation or through attempts to utilize the goods under conditions which exceed the designed capabilities.

Catalog Weights and Dimensions Catalog weights and dimensions are careful estimates, but are not guaranteed.

Patents Hoffman will defend any suit or proceeding brought against the Purchaser insofar as it is based on a claim that goods, or any part thereof, sold hereunder, constitutes an infringement of any patent of the United States, if notified promptly in writing and given authority, information and assistance, at our expense, for the defense of the same. This agreement shall not extend to any infringement based upon the manufacture, use of sale of any of said goods or any part or parts thereof, in combination with materials or things not furnished hereunder.

In the event the use of said equipment by Purchaser is enjoined in such a suit, Hoffman shall, at its own expense and election, either (a) procure for Purchaser the right to continue using said goods, (b) modify goods to render them non infringing, (c) replace said goods with non infringing goods, or (d) refund the purchase price and the transportation costs of said goods. Hoffman will not be responsible for any compromise or settlement made without its written consent. The foregoing states the entire liability of Hoffman with respect to patent infringement by said goods.

As to goods furnished by Hoffman to Purchaser and manufactured in accordance with designs proposed by Purchaser, Purchaser shall indemnify and defend Hoffman against any claim, action, or award made against Hoffman for patent, trademarks, or copyright infringement relating to the designs or specifications furnished by Purchaser.

Consequential Damages NOTWITHSTANDING ANYTHING CONTAINED HEREIN TO THE CONTRARY, HOFFMAN ENCLOSURES INC. SHALL NOT BE LIABLE FOR ANY CONSEQUENTIAL, CONTINGENT OR INCIDENTAL DAMAGES WHATSOEVER.

Penalty Clause No penalty clause of any description, in any specification or order, will be effective unless approved in writing over the signature of an officer of Hoffman Enclosures Inc.

Errors All clerical errors are subject to correction.

Notes	Hoffman Catalog Number	UPC-EDP Number	Product Description	Size/Dimensions AxBxC	Material	Finish	Product Per Pkg.	Ship Wt. Std. Pkg. Lbs.	List Price (each)	Bulletin Number	Segment
	E35351PPG	25394	PC solid 350x350x150mm	13.78x13.78x5.91	Polycarbonate	Lt Gray	1	4.3	175.00	EL	COM
	E35351PPT	25406	PC clear 350x350x150mm	13.78x13.78x5.91	Polycarbonate	Lt Gray	1	4.3	180.00	EL	COM
■+	E36PB25	58850	PB Enclosure, Extra Lg/Panel	36PB x 30.5mm	Steel	Gray	1	30.9	591.50	PB1	Com
■+	E36PBY25M	13062	PB Enclosure, Extra Lg/Panel	36PB x 22.5mm	Steel	Gray	1	30.6	574.10	PB1	Com
■+	E3PB	58030	PB Enclosure	3PB x 30.5mm	Steel	Gray	12	34.8	120.30	PB1	Com
■+	E3PBA	58540	PB Enclosure, Sloped Front	3PB x 30.5mm	Steel	Gray	1	4.1	165.60	PB1	Com
■+	E3PBAM	13066	PB Enclosure, Sloped Front	3PB x 22.5mm	Steel	Gray	1	4.1	161.00	PB1	Com
■+	E3PBG	59000	PB Enclosure	3PB x 22.5mm	Steel	Gray	12	32.4	116.80	PB1	Com
■+	E3PBGSS	59410	PB Enclosure	3PB x 22.5mm	SS Type 304		12	30.5	386.20	PB1S	Com
■+	E3PBGXM	13528	PB Enclosure	3PB x 22.5mm	Steel	Gray	4	11.0	125.00	PB1	Com
■+	E3PBGXSS	60290	PB Enclosure, Extra Deep	3PB x 22.5mm	SS Type 304		12	46.1	482.60	PB1S	Com
■+	E3PBSS	59630	PB Enclosure	3PB x 30.5mm	SS Type 304		12	33.6	378.80	PB1S	Com
■+	E3PBSS6	84910	PB Enclosure	3PB x 30.5mm	SS Type 316L		12	30.5	482.00	PB1S	Com
■+	E3PBX	58140	PB Enclosure, Extra Deep	3PB x 30.5mm	Steel	Gray	2	9.3	151.00	PB1	Com
■+	E3PBXM	13037	PB Enclosure, Extra Deep	3PB x 22.5mm	Steel	Gray	10	42.0	146.40	PB1	Com
■+	E3PBXSS	59370	PB Enclosure, Extra Deep	3PB x 30.5mm	SS Type 304		12	49.2	482.60	PB1S	Com
	E403015PPG	25395	PC solid 400x300x150mm	15.75x11.81x5.91	Polycarbonate	Lt Gray	1	6.1	178.00	EL	COM
	E403015PPT	25407	PC clear 400x300x150mm	15.75x11.81x5.91	Polycarbonate	Lt Gray	1	6.1	183.00	EL	COM
■+	E42PBY25	58860	PB Enclosure, Extra Lg/Panel	42PB x 30.5mm	Steel	Gray	1	35.0	648.10	PB1	Com
■+	E42PBY25M	13063	PB Enclosure, Extra Lg/Panel	42PB x 22.5mm	Steel	Gray	1	34.0	629.10	PB1	Com
	E453520PPG	25396	PC solid 450x350x200mm	17.72x13.78x7.87	Polycarbonate	Lt Gray	1	6.8	188.00	EL	COM
	E453520PPT	25408	PC clear 450x350x200mm	17.72x13.78x7.87	Polycarbonate	Lt Gray	1	6.8	210.00	EL	COM
	E45RUBKIT	13863	7FT Rack/Runway kit 45RU		Steel	Black	1	15.7	168.80	DOFR2	Network
	E4DR19FM38U	10007	Open 4 Post Rack, 19" x 38U		Aluminum	Black	1	64.7	907.70	DOFR4	Data
	E4DR19FM45U	10008	Open 4 Post Rack, 19" x 45U		Aluminum	Black	1	70.0	998.40	DOFR4	Data
	E4DR19FM51U	10012	Open 4 Post Rack, 19" x 51U		Aluminum	Black	1	72.1	1,090.00	DOFR4	Data
	E4DRS19FM45U	12953	4 Post Rack, Sq. H. 19" x 45U		Aluminum	Black	1	85.0	785.70	DOFR4	Data
	E4DRS19FM51U	12954	4 Post Rack, Sq. H. 19" x 51U		Aluminum	Black	1	88.2	855.10	DOFR4	Data
	E4BCM	16043	Cable mgr. front to back for 4-post OFR				1	8.5	159.20	DOFRY	Network
■+	E4PB	58040	PB Enclosure	4PB x 30.5mm	Steel	Gray	6	20.6	136.00	PB1	Com
■+	E4PBA	58550	PB Enclosure, Sloped Front	4PB x 30.5mm	Steel	Gray	1	5.1	186.40	PB1	Com
■+	E4PBAM	13067	PB Enclosure, Sloped Front	4PB x 22.5mm	Steel	Gray	1	5.1	180.80	PB1	Com
■+	E4PBG	59040	PB Enclosure	4PB x 22.5mm	Steel	Gray	2	6.4	128.40	PB1	Com
■+	E4PBGSS	59850	PB Enclosure	4PB x 22.5mm	SS Type 304		6	19.6	436.80	PB1S	Com
■+	E4PBGXM	13531	PB Enclosure	4PB x 22.5mm	Steel	Gray	2	7.0	137.30	PB1	Com
■+	E4PBGXSS	60300	PB Enclosure, Extra Deep	4PB x 22.5mm	SS Type 304		6	28.2	541.90	PB1S	Com
■+	E4PBSS	59640	PB Enclosure	4PB x 30.5mm	SS Type 304		6	19.5	441.10	PB1S	Com
■+	E4PBSS6	84920	PB Enclosure	4PB x 30.5mm	SS Type 316L		6	26.4	545.60	PB1S	Com
■+	E4PBX	58150	PB Enclosure, Extra Deep	4PB x 30.5mm	Steel	Gray	2	11.1	168.00	PB1	Com
■+	E4PBXM	13038	PB Enclosure, Extra Deep	4PB x 22.5mm	Steel	Gray	6	30.6	163.00	PB1	Com
■+	E4PBXSS	59380	PB Enclosure, Extra Deep	4PB x 30.5mm	SS Type 304		6	26.6	541.90	PB1S	Com
	E4SDR19FM45U	14243	4 Post Rack, Sq. H. Seismic	19" x 45U	Steel	Black	1	343.0	2,885.00	DOFRS	Data
■+	E4SPB	58050	PB Enclosure	4PB x 30.5mm	Steel	Gray	2	9.0	153.40	PB1	Com
■+	E4SPBA	58560	PB End, Sloped Square Front	4PB x 30.5mm	Steel	Gray	1	5.9	209.70	PB1	Com
■+	E4SPBAM	13068	PB Enclosure, Sloped Front	4PB x 22.5mm	Steel	Gray	1	6.0	203.30	PB1	Com
■+	E4SPBG	10138	PB Enclosure	4PB x 22.5mm	Steel	Gray	6	58.2	148.70	PB1	Com
■+	E4SPBX	58160	PB Enclosure, Extra Deep	4PB x 30.5mm	Steel	Gray	2	10.6	171.00	PB1	Com
■+	E4SPBXM	13041	PB Enclosure, Extra Deep	4PB x 22.5mm	Steel	Gray	6	30.0	165.80	PB1	Com
■+	E4SPBY25	58870	PB Enclosure, Extra Lg/Panel	4PB x 30.5mm	Steel	Gray	1	9.0	220.30	PB1	Com
■+	E4SPBY25M	13052	PB Enclosure, Extra Lg/Panel	4PB x 22.5mm	Steel	Gray	1	9.0	213.70	PB1	Com
	E504020PPG	25397	PC solid 500x400x200mm	19.69x15.75x7.87	Polycarbonate	Lt Gray	1	7.9	230.00	EL	COM
	E504020PPT	25411	PC clear 500x400x200mm	19.69x15.75x7.87	Polycarbonate	Lt Gray	1	7.9	255.00	EL	COM
■+	E5216001	18645	KIT, COND EVAP, M52 115V FIELD I		Steel	Black	1	12.7	579.50	MCLP	MRO
■+	E5PB	57810	PB Enclosure	5PB x 30.5mm	Steel	Gray	6	24.7	148.40	PB1	Com
■+	E5PBG	10141	PB Enclosure	5PB x 22.5mm	Steel	Gray	6	24.8	144.00	PB1	Com
■+	E60P60W	17032	Panel, COMLINE	fits 600x600mm	Wood		1	7.0	89.76	DCOMY	Data
■+	E6PB	58060	PB Enclosure	6PB x 30.5mm	Steel	Gray	2	11.4	174.80	PB1	Com
■+	E6PBA	58570	PB Enclosure, Sloped Front	6PB x 30.5mm	Steel	Gray	1	7.1	242.10	PB1	Com
■+	E6PBAM	13071	PB Enclosure, Sloped Front	6PB x 22.5mm	Steel	Gray	1	7.0	234.90	PB1	Com
■+	E6PBG	10143	PB Enclosure	6PB x 22.5mm	Steel	Gray	6	23.4	169.50	PB1	Com
■+	E6PBGSS	10151	PB enclosure	6PB x 22.5mm	SS Type 304		6	28.4	586.80	PB1S	Com
■+	E6PBGVL	10142	PB Enclosure	6PB x 22.5mm	Steel	Gray	6	23.4	160.40	PB1	Com
■+	E6PBGXM	13532	PB Enclosure	6PB x 22.5mm	Steel	Gray	1	5.3	174.60	PB1	Com
■+	E6PBSS	59650	PB Enclosure	6PB x 30.5mm	SS Type 304		8	40.8	581.00	PB1S	Com
■+	E6PBSS6	84930	PB Enclosure	6PB x 30.5mm	SS Type 316L		8	37.6	719.80	PB1S	Com
■+	E6PBVL	57820	PB Enclosure	6PB x 30.5mm	Steel	Gray	6	5.0	165.30	PB1	Com
■+	E6PBX	58170	PB Enclosure, Extra Deep	6PB x 30.5mm	Steel	Gray	2	13.4	195.40	PB1	Com
■+	E6PBXM	13042	PB Enclosure, Extra Deep	6PB x 22.5mm	Steel	Gray	8	50.4	189.60	PB1	Com
■+	E6PBY25	58780	PB Enclosure, Extra Lg/Panel	6PB x 30.5mm	Steel	Gray	1	10.9	253.10	PB1	Com
■+	E6PBY25M	13053	PB Enclosure, Extra Lg/Panel	6PB x 22.5mm	Steel	Gray	1	10.8	245.60	PB1	Com
■+	E8PB	57840	PB Enclosure	8PB x 30.5mm	Steel	Gray	2	12.6	198.80	PB1	Com
■+	E8PBA	58580	PB Enclosure, Sloped Front	8PB x 30.5mm	Steel	Gray	1	8.7	274.30	PB1	Com
■+	E8PBAM	13072	PB Enclosure, Sloped Front	8PB x 22.5mm	Steel	Gray	1	8.7	266.50	PB1	Com
■+	E8PBG	10144	PB Enclosure	8PB x 22.5mm	Steel	Gray	6	36.0	193.20	PB1	Com
■+	E90P60W	17033	Panel, COMLINE	fits 900x600mm	Wood		1	11.3	104.80	DCOMY	Data
■+	E90P70W	17034	Panel, COMLINE	fits 900x700mm	Wood		1	14.0	119.90	DCOMY	Data
■+	E9PB	58070	PB Enclosure	9PB x 30.5mm	Steel	Gray	2	12.6	203.30	PB1	Com
■+	E9PBA	58590	PB Enclosure, Sloped Front	9PB x 30.5mm	Steel	Gray	1	8.6	286.60	PB1	Com
■+	E9PBAM	13073	PB Enclosure, Sloped Front	9PB x 22.5mm	Steel	Gray	1	8.7	278.40	PB1	Com
■+	E9PBG	10145	PB Enclosure	9PB x 22.5mm	Steel	Gray	6	39.0	233.70	PB1	Com
■+	E9PBGSS	10152	PB enclosure	9PB x 22.5mm	SS Type 304		6	35.6	696.70	PB1S	Com
■+	E9PBGXM	13533	PB Enclosure	9PB x 22.5mm	Steel	Gray	1	6.3	195.00	PB1	Com
■+	E9PBSS	59660	PB Enclosure	9PB x 30.5mm	SS Type 304		6	36.0	689.90	PB1S	Com
■+	E9PBSS6	84940	PB Enclosure	9PB x 30.5mm	SS Type 316L		6	35.4	853.90	PB1S	Com
■+	E9PBX	58180	PB Enclosure, Extra Deep	9PB x 30.5mm	Steel	Gray	2	15.5	223.10	PB1	Com
■+	E9PBXM	13043	PB Enclosure, Extra Deep	9PB x 22.5mm	Steel	Gray	6	42.0	216.80	PB1	Com
■+	E9PBY25	58790	PB Enclosure, Extra Lg/Panel	9PB x 30.5mm	Steel	Gray	1	13.5	295.00	PB1	Com
■+	E9PBY25M	13054	PB Enclosure, Extra Lg/Panel	9PB x 22.5mm	Steel	Gray	1	13.4	286.50	PB1	Com
■+	EC10C7	19182	Vert Cbl Mgr Rear Cvr 10"x84" Blk	84.00x10.00x1.00	Aluminum		1	20.0	159.20	DOFRY	Network
■+	EC12C7	19183	Vert Cbl Mgr Rear Cvr 12"x84" Blk	84.00x12.00x1.00	Aluminum		1	22.0	172.50	DOFRY	Network

Notes	Hoffman Catalog Number	UPC-EDP Number	Product Description	Size/Dimensions AxBxC	Material	Finish	Product Per Pkg.	Ship Wt. Std. Pkg. Lbs.	List Price (each)	Bulletin Number	Segment
	ESHVDV23	21859	Shelf, Double-Sided/Vented	fits 23 in. LAN R.	Steel	Black	1	11.0	236.10	DACCY	Network
	ESHVA19	21829	Shelf, Adjustable/Vented	fits 19 in. LAN R.	Steel	Black	1	6.1	117.90	DACCY	Network
	ESHVA23	21839	Shelf, Adjustable/Vented	fits 23 in. LAN R.	Steel	Black	1	8.9	144.40	DACCY	Network
	ESSH3015	37329	Solar Shield Top, COMLINE	fits 300x150mm	Aluminum	Gray	1	2.5	388.40	DCOMY	Data
	ESSH4015	37339	Solar Shield Top, COMLINE	fits 400x150mm	Aluminum	Gray	1	2.9	443.30	DCOMY	Data
	ESSH4020	37349	Solar Shield Top, COMLINE	fits 400x200mm	Aluminum	Gray	1	4.2	498.70	DCOMY	Data
	ESSH5020	37359	Solar Shield Top, COMLINE	fits 500x200mm	Aluminum	Gray	1	4.0	554.00	DCOMY	Data
	ESSH6020	37369	Solar Shield Top, COMLINE	fits 600x200mm	Aluminum	Gray	1	4.7	609.40	DCOMY	Data
	ESSH6030	37379	Solar Shield Top, COMLINE	fits 600x300mm	Aluminum	Gray	1	6.5	664.70	DCOMY	Data
	ESSH9030	37389	Solar Shield Top, COMLINE	fits 900x300mm	Aluminum	Gray	1	8.6	719.80	DCOMY	Data
	ETRB8	16031	Univ transition bracket (8)		Steel	Black	1	4.9	311.10	DACCY	Network
	EVR19FM45U	22019	Open LAN Rack, 19 in x 45U	84.00x20.25x15.00	Aluminum		1	29.0	222.80	DOFR2	Network
	EVR19FM45UCM1	14645	Rack Pkg, w 1 Vert Cable Mgr	19 in x 45U	Aluminum		1	62.0	825.80	DOFR2	Network
	EVR19FM51U	22029	Open LAN Rack, 19 in x 51U	96.00x20.25x15.00	Aluminum		1	30.2	305.50	DOFR2	Network
	EVR19FM58U	35319	Open LAN Rack, 19 in x 58U	108.00x20.25x15.00	Aluminum		1	40.0	347.50	DOFR2	Network
	EVR23FM45U	22039	Open LAN Rack, 23 in x 45U	84.00x24.25x15.00	Aluminum		1	30.2	319.60	DOFR2	Network
	EVR23FM51U	22049	Open LAN Rack, 23 in x 51U	96.00x24.25x15.00	Aluminum		1	30.0	351.60	DOFR2	Network
	EWFT	10232	Waterfall top	fits 19" open rack	Steel	Black	1	6.7	91.94	DOFRY	Network
	EWMC24	17901	AccessPlus Cable Mgr 24 in Blk		Steel	Black	1	6.0	134.20	DWDH1	Data
	EWMC36	17902	AccessPlus Cable Mgr 36 in Blk		Steel	Black	1	10.0	161.00	DWDH1	Data
	EWMC48	17903	AccessPlus Cable Mgr 48 in Blk		Steel	Black	1	10.6	214.70	DWDH1	Data
	EWMF1	17907	Fan kit, 4 in Fan 115vac Small		Steel		1	3.2	158.30	DWDH1	Data
	EWMF2	17908	Fan kit, 4 in Fan 115vac Large		Steel		1	3.4	185.20	DWDH1	Data
	EWMR24S	17894	AccessPlus Rack Angle 24 in Sq Hole Plt		Steel		1	2.9	184.30	DWDH1	Data
	EWMR24T	17887	AccessPlus Rack Angle 24 in Tapped Plt		Steel		1	3.2	168.30	DWDH1	Data
	EWMR36S	17895	AccessPlus Rack Angle 36 in Sq Hole Plt		Steel		1	3.8	191.70	DWDH1	Data
	EWMR36T	17888	AccessPlus Rack Angle 36 in Tapped Plt		Steel		1	5.0	175.70	DWDH1	Data
	EWMR48S	17896	AccessPlus Rack Angle 48 in Sq Hole Plt		Steel		1	6.0	199.20	DWDH1	Data
	EWMR48T	17891	AccessPlus Rack Angle 48 in Tapped Plt		Steel		1	6.3	183.30	DWDH1	Data
	EWMR60S	17897	AccessPlus Rack Angle 60 in Sq Hole Plt		Steel		1	15.0	220.30	DWDH1	Data
	EWMR60T	17892	AccessPlus Rack Angle 60 in Tapped Plt		Steel		1	7.7	204.20	DWDH1	Data
	EWMR72S	17898	AccessPlus Rack Angle 72 in Sq Hole Plt		Steel		1	16.0	254.10	DWDH1	Data
	EWMR72T	17893	AccessPlus Rack Angle 72 in Tapped Plt		Steel		1	9.4	238.00	DWDH1	Data
	EWMS242418	17873	AccessPlus 24 X 24 X 18 Sld, Blk	24.00x24.00x18.00	Steel	Black	1	80.0	834.60	DWDH1	Data
	EWMS242425	17876	AccessPlus 24 X 24 X 25 Sld, Blk	24.00x24.00x25.00	Steel	Black	1	100.0	886.50	DWDH1	Data
	EWMS362418	17874	AccessPlus 36 X 24 X 18 Sld, Blk	36.00x24.00x18.00	Steel	Black	1	136.0	965.40	DWDH1	Data
	EWMS362425	17877	AccessPlus 36 X 24 X 25 Sld, Blk	36.00x24.00x25.00	Steel	Black	1	160.0	1,021.00	DWDH1	Data
	EWMS482225	13548	Wall-Mount Cabinet, 26U	48.00x22.00x25.00	Steel	Black	1	110.0	1,155.00	DWDH1	Data
	EWMS482418	17875	AccessPlus 48 X 24 X 18 Sld, Blk	48.00x24.00x18.00	Steel	Black	1	156.0	1,101.00	DWDH1	Data
	EWMS482425	17878	AccessPlus 48 X 24 X 25 Sld, Blk	48.00x24.00x25.00	Steel	Black	1	220.0	1,155.00	DWDH1	Data
	EWMS602215	15721	Dbl Hng Cab w Solid Door	60.00x22.00x15.00	Steel	Black	1	50.0	1,700.00	DWDH1	Data
	EWMSGP482225	14622	Wall-Mount Cab./G Plate, 26U	48.00x22.00x25.00	Steel	Black	1	150.0	1,808.00	DWDH1	Data
	EWMMW242418	17853	AccessPlus 24 X 24 X 18 Wdw, Blk	24.00x24.00x18.00	Steel	Black	1	83.1	856.40	DWDH1	Data
	EWMMW242425	17858	AccessPlus 24 X 24 X 25 Wdw, Blk	24.00x24.00x25.00	Steel	Black	1	95.0	908.80	DWDH1	Data
	EWMMW242430	17865	AccessPlus 24 X 24 X 30 Wdw, Blk	24.00x24.00x30.00	Steel	Black	1	92.0	937.90	DWDH1	Data
	EWMMW242825	17868	AccessPlus 24 X 28 X 25 Wdw, Blk	24.00x28.00x25.00	Steel	Black	1	113.0	1,113.00	DWDH1	Data
	EWMMW362418	17854	AccessPlus 36 X 24 X 18 Wdw, Blk	36.00x24.00x18.00	Steel	Black	1	110.0	987.90	DWDH1	Data
	EWMMW362425	17861	AccessPlus 36 X 24 X 25 Wdw, Blk	36.00x24.00x25.00	Steel	Black	1	129.0	1,042.00	DWDH1	Data
	EWMMW362430	17866	AccessPlus 36 X 24 X 30 Wdw, Blk	36.00x24.00x30.00	Steel	Black	1	140.0	1,073.00	DWDH1	Data
	EWMMW362825	17871	AccessPlus 36 X 28 X 25 Wdw, Blk	36.00x28.00x25.00	Steel	Black	1	149.0	1,276.00	DWDH1	Data
	EWMMW482418	17855	AccessPlus 48 X 24 X 18 Wdw, Blk	48.00x24.00x18.00	Steel	Black	1	107.0	1,122.00	DWDH1	Data
	EWMMW482425	17862	AccessPlus 48 X 24 X 25 Wdw, Blk	48.00x24.00x25.00	Steel	Black	1	159.0	1,177.00	DWDH1	Data
	EWMMW482430	17867	AccessPlus 48 X 24 X 30 Wdw, Blk	48.00x24.00x30.00	Steel	Black	1	180.0	1,276.00	DWDH1	Data
	EWMMW482825	17872	AccessPlus 48 X 28 X 25 Wdw, Blk	48.00x28.00x25.00	Steel	Black	1	183.0	1,395.00	DWDH1	Data
	EWMMW602418	17856	AccessPlus 60 X 24 X 18 Wdw, Blk	60.00x24.00x18.00	Steel	Black	1	79.0	1,755.00	DWDH1	Data
	EWMMW602425	17863	AccessPlus 60 X 24 X 25 Wdw, Blk	60.00x24.00x25.00	Steel	Black	1	220.0	1,822.00	DWDH1	Data
	EWMMW722418	17857	AccessPlus 72 X 24 X 18 Wdw, Blk	72.00x24.00x18.00	Steel	Black	1	213.0	1,805.00	DWDH1	Data
	EWMMW722425	17864	AccessPlus 72 X 24 X 25 Wdw, Blk	72.00x24.00x25.00	Steel	Black	1	246.0	1,871.00	DWDH1	Data
	EWMMWG242418	17881	AccessPlus 24 X 24 X 18 Wdw, Blk, GP	24.00x24.00x18.00	Steel	Black	1	75.0	1,100.00	DWDH1	Data
	EWMMWG242425	17884	AccessPlus 24 X 24 X 25 Wdw, Blk, GP	24.00x24.00x25.00	Steel	Black	1	100.0	1,154.00	DWDH1	Data
	EWMMWG362418	17882	AccessPlus 36 X 24 X 18 Wdw, Blk, GP	36.00x24.00x18.00	Steel	Black	1	100.0	1,235.00	DWDH1	Data
	EWMMWG362425	17885	AccessPlus 36 X 24 X 25 Wdw, Blk, GP	36.00x24.00x25.00	Steel	Black	1	133.0	1,288.00	DWDH1	Data
	EWMMWG482418	17883	AccessPlus 48 X 24 X 18 Wdw, Blk, GP	48.00x24.00x18.00	Steel	Black	1	135.0	1,369.00	DWDH1	Data
	EWMMWG482425	17886	AccessPlus 48 X 24 X 25 Wdw, Blk, GP	48.00x24.00x25.00	Steel	Black	1	157.0	1,422.00	DWDH1	Data
	EWVC19H	14248	Cable manager, wire form	fits 19"	Steel		1	1.5	60.97	DACCY	Network
	EXE10105SS6	21474	316SS SC Haz Loc EXe Inch Dim	10.00x10.00x5.00	SS Type 316		1	10.0	942.80	HL	OEM
	EXE12126SS61	21475	316SS HC Haz Loc EXe 1-GP Inch	12.00x12.00x6.00	SS Type 316		1	14.3	1,444.00	HL	OEM
	EXE12128SS61	21476	316SS HC Haz Loc EXe 1-GP Inch	12.00x12.00x8.00	SS Type 316		1	13.5	1,459.00	HL	OEM
	EXE16126SS61	21477	316SS HC Haz Loc EXe 1-GP Inch	16.00x12.00x6.00	SS Type 316		1	15.0	1,676.00	HL	OEM
	EXE16128SS61	21478	316SS HC Haz Loc EXe 1-GP Inch	16.00x12.00x8.00	SS Type 316		1	20.0	1,885.00	HL	OEM
	EXE16166SS61	21481	316SS HC Haz Loc EXe 1-GP Inch	16.00x16.00x6.00	SS Type 316		1	22.0	2,044.00	HL	OEM
	EXE16168SS61	21482	316SS HC Haz Loc EXe 1-GP Inch	16.00x16.00x8.00	SS Type 316		1	25.0	2,141.00	HL	OEM
	EXE20166SS61	21483	316SS HC Haz Loc EXe 1-GP Inch	20.00x16.00x6.00	SS Type 316		1	43.0	1,995.00	HL	OEM
	EXE20168SS61	21484	316SS HC Haz Loc EXe 1-GP Inch	20.00x16.00x8.00	SS Type 316		1	24.0	2,387.00	HL	OEM
	EXE20208SS61	21485	316SS HC Haz Loc EXe 1-GP Inch	20.00x20.00x8.00	SS Type 316		1	27.0	2,669.00	HL	OEM
	EXE24208SS61	21486	316SS HC Haz Loc EXe 1-GP Inch	24.00x20.00x8.00	SS Type 316		1	33.0	2,772.00	HL	OEM
	EXE242412SS61	21488	316SS HC Haz Loc EXe 1-GP Inch	24.00x24.00x12.00	SS Type 316		1	47.0	3,677.00	HL	OEM
	EXE24248SS61	21487	316SS HC Haz Loc EXe 1-GP Inch	24.00x24.00x8.00	SS Type 316		1	40.1	3,047.00	HL	OEM
	EXE30208SS61	21489	316SS HC Haz Loc EXe 1-GP Inch	30.00x20.00x8.00	SS Type 316		1	43.0	3,008.00	HL	OEM
	EXE30248SS61	21491	316SS HC Haz Loc EXe 1-GP Inch	30.00x24.00x8.00	SS Type 316		1	64.0	3,759.00	HL	OEM
	EXE303012SS61	21492	316SS HC Haz Loc EXe 1-GP Inch	30.00x30.00x12.00	SS Type 316		1	80.0	5,022.00	HL	OEM
	EXE36248SS61	21493	316SS HC Haz Loc EXe 1-GP Inch	36.00x24.00x8.00	SS Type 316		1	65.0	4,787.00	HL	OEM
	EXE443SS6	21468	316SS SC Haz Loc EXe Inch Dim	4.00x4.00x3.00	SS Type 316		1	2.4	438.50	HL	OEM
	EXE664SS6	21471	316SS SC Haz Loc EXe Inch Dim	6.00x6.00x4.00	SS Type 316		1	3.0	504.30	HL	OEM
	EXE774SS6	21472	316SS SC Haz Loc EXe Inch Dim	7.00x7.00x4.00	SS Type 316		1	6.0	630.40	HL	OEM
	EXE965SS6	21473	316SS SC HAZ LOC EXE INCH DIM	8.50x5.75x5.00	SS Type 316		1	4.0	756.40	HL	OEM
	F1010116RTGV	13834	Econo Trough, Type 3R	10.00x10.00x116.00	Steel		1	107.0	902.20	F40GT	Cont/Datacom
	F101024RTGV	13826	Econo Trough, Type 3R	10.00x10.00x24.00	Steel		1	30.3	216.90	F40GT	Cont/Datacom
	F101036RTGV	13827	Econo Trough, Type 3R	10.00x10.00x36.00	Steel		1	41.6	315.60	F40GT	Cont/Datacom
	F101045EGV	45830	WW, Type 1, Elbow / 45 deg	10.00x10.00	Steel		1	8.1	172.30	F40GF	Cont/Datacom