

PERSONAL PROTECTIVE EQUIPMENT

CATALOG



by Honeywell



WELDING Accessories

LEATHER WELDING HOODS

Top Quality, tough, flexible chrome leather hoods for use in hard to get to areas where there is no room for standard helmets. Lift-front glassholder. Screened ventilation ports.

INSPECTORS' HANDSHIELDS

Folding shields offer convenience and protection for inspectors, engineers, foremen and others who observe arc welding for short periods of time. Formed from quality leather. Folds to fit in pocket.

EXTENDED OR SHORT TERM PROTECTION



MODEL 870 LIFT FRONT
Welder can lift lid to position or inspect work.



MODEL 465
2" x 4¼" Stationary glassholder,
Shield folds to 4¾" x 6¾"



MODEL 475
2" x 4¼" Stationary glassholder,
Shield folds to 3½" x 6¼"

Deeply offset, pliable headband fits head contours comfortably. Overhead band with multiple adjustments helps position the glassholder for the best view of the weld and a comfortable working position. Exclusive "free-floating" arms balance and stabilize the helmet while minimizing pressure points. Strip-proof ratchet head size adjustment provides small increment sizing. Model 3C performs well in hot or cold; is unaffected by age; does not crack or break. In models where free-floating arms are impractical, unique mounting brackets are used.

CUSTOM-FIT REPLACEMENT HEADGEAR



MODEL 3C
Standard Headgear



MODEL 1CP
Replacement Neoprene Strap
Model 1PS



MODEL 1CR
Pipeliner™ (Ratchet)



MODEL 1UL
Ultralite (Ratchet)

Traditional, black quilted, flame retardant, short visor model plus exclusive four-panel design to cover more head and hair area. Four panel models can be pulled down to help protect the ears when necessary. Unique SuperCool™ water-activated cooling cap provides relief from the heat when soaked in water. Rugged UltraWarm™ winter cap is lined with soft pile for warmth and comfort, when the temperature drops.

UNDER HELMET WELDERS CAPS



MODEL BQWCEM
FR-Black Quilted



MODEL FMSCWC
SuperCool™ water activated
cooling cap.



MODEL WC470
Four-panel design,
reversible print/solid.
100% cotton.



MODEL SWWW10
UltraWarm™ winter cap.
Four panel design.
100% cotton.

Your choice of soft terry cloth (FM44TV); shearing wool (FM66); soft-grain leather (FM67); soft, absorbent cotton cushioned with Velcro® closure (FM68). Circulating air evaporates sweatband moisture for cooling effect.

COMFORT ENHANCING SWEAT BANDS



FM44TV



FM67



FM66



FM68

HIGH PERFORMANCE Faceshields



MODEL F500 W/4199GDTVGY

Gold plated for High heat applications - TruView Gray inside

Made from Noryl[®], the same material used in our welding helmets, High Performance faceshields are stronger, more durable and more heat resistant than ordinary faceshields.

They contain our exclusive Channel Grip System, which mounts windows and locks them in place in a deep recessed channel to form a perfect seal from dust, dirt and debris.

F300: Exceptionally lightweight and comfortable. Fits easily over today's spectacles with space for air circulation to prevent fogging. Accommodates a full selection of standard size (8" x 11½") windows.

F400: Deeper 4" crown protector extends protection without increasing weight. Incorporates wide-vision (8" x 17") wraparound windows and screens which provide 40% more protective area than standard size faceshields. Fits easily over required spectacles or respirators. Available with choice of 3-C Headgear or three protective cap mounting mechanisms.

F500: Broader, deeper 7" crown protector and wide wraparound window provides an extra margin of protection when harsh working conditions require it. Available with choice of 3-C Headgear or three protective cap mounting mechanisms.

TOP QUALITY PROTECTION FOR VIRTUALLY EVERY JOBSITE FACE HAZARD



MODEL F500

Shown with 4199CL



MODEL F400

Shown with 4178CL



MODEL F300

Shown with 4118CL

High Performance faceshields as designated are SEI certified to comply with current ANSI standards. SEI certification is your assurance of consistent quality and performance.

- Inquire about FMX full graphic faceshield headgears

FACESHIELD WINDOWS

Standard Size



4118

Available in Clear and Dark Green

Fits F300 Series

Wide Vision



4178

Also available in S178 Steel Screen, Dark Green and True Color Gray

Fits F400, F500 Series, FH66, FM70 and F71 series.



4178IR/UV34
178IR/UV5
4178IR/UV8

Extended View



4199

Also available in 4199 IR/UV3, IR/UV5, and Dark Green

Fits F400 and F500 Series, and FH66.



S199 Steel Screen

Fibre-Metal[®] faceshield windows are injection molded from propionate, which is superior to other window materials in every significant performance characteristic. They are preformed at the factory to the exact curve of our crown protectors for easy installation, an exact fit and a perfect seal against dust, dirt and debris. All High Performance windows are .060" thick for an extra margin of protection, yet they cost no more than ordinary .040" thick windows. Available in three sizes, in clear, special tints, shades 3, 5 and 8 (4178 only). High Performance windows provide a degree of protection and a price point for every application and budget. All windows meet ANSI Z87.1+ standard for eye and face protection and CSA Z94.3.

COMFORT ENHANCING SWEAT BANDS



FM44TV



FM67



FM66



FM68

Your choice of soft terry cloth (FM44TV); shearing wool (FM66); soft-grain leather (FM67); or soft, absorbent cotton (FM68). Circulating air evaporates sweatband moisture for cooling effect.