

POWER-RETURN RULES

Two new tape measure series, offering innovative, high quality solutions for all your measuring needs.

Tape Stop™

STAND-OUT™

For Professionals... Since 1857®



KLEIN TOOLS®

Stand-Out™ Power-Return Rules

Klein's new Stand-Out™ series of power-return rules (in three different sizes) boasts an oversized blade for 9 foot (2.7 m) standout! Featuring a magnetic, dual-end hook and oversized bold black numbers printed on a two color blade for easy reading (horizontal and vertical scales), 16" (406 mm) and 19" (485 mm) red stud markings, and housed in a sophisticated black and chrome case, this new series was designed for convenient, one person measurements to save you time and effort on the job.



917-25

- Durable coated blade is 1.06" wide and 10X stronger than standard coating.
- 9' Standout (2.7 m).
- Vertically printed scale on backside of blade.



Cat. No.	UPC No. 0-92644+	Blade Length	Width	Weight (lbs.)
917-16	91716-5	16' (5m)	1.06" (27 mm)	.85
917-25	91725-7	25' (7.5 m)	1.06" (27 mm)	1.2
917-7.5ME	91726-4	7.5 m (25')	1.06" (27 mm)	1.2



Free display
with purchase of
12 Stand-Out™
Power-Return Rules



9' Standout

STAND-OUT™

1.06" Wide (27 mm) Blade
with Magnetic, Dual-End Hook

Tape Stop™ Power-Return Rules

First introduced as Klein's Limited Edition 150th Anniversary Tape Stop™, this popular power-return rule returns to the lineup (in three different sizes and a new look)... featuring architectural markings for easy elevated and flat surface measurements. The unique Tape Stop™ blade is designed for automatic self-lock when extended, and the dual-end hook attaches easily for all of your job applications.



- **Tape Stop™ blade** with dual-end hook is designed for automatic self lock of blade.
- **Oversized, bold black numbers** on the first 11 inches (279.4 mm) of the blade for easy reading; 16" (406 mm) and 19" (485 mm) red stud markings.
- **1/8 and 1/4 architectural scale** is printed on the first 10 feet (3.1 m) of the back side of the blade (Cat. Nos. 925-16 and 925-25 only).
- 925-7.5ME features numbers printed horizontally on the front of the blade and vertically on the back of the blade (no architectural scale).

925-25

Cat. No.	UPC No. 0-92644+	Blade Length	Width	Weight (lbs.)
925-16	92516-0	16' (5 m)	1" (25 mm)	.6
925-25	92525-2	25' (7.5 m)	1" (25 mm)	.95
925-7.5ME*	92526-9	7.5 m (25')	25 mm (1")	.95

*925-7.5ME features numbers printed horizontally on the front of the blade and vertically on the back of the blade; no architectural scale.

Free display
with purchase of
12 Tape Stop™
Power-Return Rules

**Architectural
Scale**



www.kleintools.com

Tape Stop™

**KLEIN
TOOLS®**

Additional Power-Return Rules from Klein



Power-Return Rule – Offset Tape-Stop™

Cat. No.	UPC No. 0-92644+	Blade Length	Width	Weight (lbs.)
915-26	91526-0	16' (5 m)	1" (25 mm)	.61



915-26

Power-Return Steel Rules – Double-Sided

Cat. No.	UPC No. 0-92644+	Blade Length	Width	Weight (lbs.)
908-12	86080-5	12' (3.5 m)	5/8" (16 mm)	.33
908-16	86081-2	16' (5 m)	1" (25 mm)	.60
908-25	86082-9	25' (7.5 m)	1" (25 mm)	.90
908-7.5ME	86084-3	7.5 m (25')	25 mm (1")	.90
908-30	86083-6	30' (9 m)	1" (25 mm)	1.10



908-25

Power-Return Steel Rules – Magnetic Dual-End Hook, Double-Sided Blade

Cat. No.	UPC No. 0-92644+	Blade Length	Width	Weight (lbs.)
918-16RE	86085-0	16' (5 m)	1" (25 mm)	.60
918-25RE	86086-7	25' (7.5 m)	1" (25 mm)	.90
918-7.5ME-RE	86088-1	7.5 m (25')	25 mm (1")	.90
918-30RE	86087-4	30' (9 m)	1" (25 mm)	1.10



918-25RE

Power-Return Steel Rules – Rare Earth Magnetic Tip

Cat. No.	UPC No. 0-92644+	Blade Length	Width	Weight (lbs.)
916-16RE	86076-8	16' (5 m)	1" (25 mm)	.63
916-25RE	86073-7	25' (7.5 m)	1" (25 mm)	.90
916-7.5ME-RE	86078-2	7.5 m (25')	25 mm (1")	.90
916-30RE	86077-5	30' (9 m)	1" (25 mm)	1.10



916-25RE

Klein Tools offers a wide selection of Leather and Nylon Tape Measure Holders, Pouches, Tool Bags, Tool Belts and Tool Belt Accessories.

View the complete selection in our catalog or online @ kleintools.com.

All dimensions are in inches and (millimeters) unless otherwise specified.

▲WARNING:

- Always wear approved eye protection.
- Protect hands when cleaning magnetic tip. Use gloves or cloth.
- Avoid magnetic contact with sensitive electronic or computer equipment.
- NOT insulated. Do NOT use on live circuits.

▲WARNING:

- To avoid personal injury and damage to this tool, do not allow the tape blade to retract into case at full speed.
- Do NOT open case. Spring motor is under tension, and opening case may cause injury.