

SPIRAL CFLi

13 to 105 Watt • Energy Star • 2700K to 6500K



- **Energy Star**
Certified as energy efficient
- **Energy Efficient**
Reduces power consumption by as much as 75%
- **Top Quality Phosphors**
Ensures stable and consistent light output
- **Long Life**
Less frequent re-lamping reduces maintenance costs



Selection. Solutions. Simplicity.

23220 W. 84th St., Shawnee, KS 66227 • Ph: 1.800.852.2217 • Fax: 1.913.441.6679 • Email: eiko@eiko.com
EiKO CANADA: 31 King St. Unit 7, Barrie, Ontario L4N 6B5, Canada • Ph: 1.705.721.5189 • Fax: 1.705.721.7855

www.eiko.com

Medium Based Spiral CFLi Lamps

13 to 105 Watt * Energy Star * 2700K to 6500K * High Watt Spirals

Ordering Code	Approvals	Volts	Watts	Base	MOL	CT deg K	Life Hours	CRI	Approx Initial Lumens
SP13/27K	UL/CSA, Energy Star	120	13	Medium Screw (E26)	4.50/114	2700	10000	82	900
SP13/35K	UL/CSA	120	13	Medium Screw (E26)	4.10/104	3500	8000	82	800
SP13/41K	UL/CSA, Energy Star	120	13	Medium Screw (E26)	4.10/104	4100	10000	82	800
SP13/50K	UL/CSA, Energy Star	120	13	Medium Screw (E26)	4.10/104	5000	10000	82	800
SP13/65K	UL/CSA, Energy Star	120	13	Medium Screw (E26)	4.10/104	6500	10000	82	900
SP19/27K	UL/CSA, Energy Star	120	20	Medium Screw (E26)	4.73/120	2700	10000	82	1381
SP19/35K	UL/CSA, Energy Star	120	19	Medium Screw (E26)	4.73/120	3500	10000	82	1200
SP19/41K	UL/CSA, Energy Star	120	20	Medium Screw (E26)	4.73/120	4100	10000	82	1350
SP19/50K	UL/CSA, Energy Star	120	20	Medium Screw (E26)	4.73/120	5000	10000	82	1350
SP23/27K	UL/CSA, Energy Star	120	23	Medium Screw (E26)	4.96/126	2700	10000	82	1600
SP23/35K	UL/CSA	120	23	Medium Screw (E26)	4.96/126	3500	10000	82	1536
SP23/41K	UL/CSA	120	23	Medium Screw (E26)	4.96/126	4100	10000	82	1472
SP23/50K	UL/CSA	120	23	Medium Screw (E26)	4.96/126	5000	10000	82	1570
SP23/65K	UL/CSA, Energy Star	120	23	Medium Screw (E26)	4.96/126	6500	10,000	82	1600
SP27/27K	UL/CSA, Energy Star	120	27	Medium Screw (E26)	5.47/139	2700	10000	80	1750
SP27/35K	UL/CSA	120	27	Medium Screw (E26)	5.47/139	3500	10000	80	1700
SP27/41K	UL/CSA, Energy Star	120	26	Medium Screw (E26)	5.47/139	4100	10000	80	1650
SP27/50K	UL/CSA, Energy Star	120	26	Medium Screw (E26)	5.47/139	5000	10000	80	1600
SP32/27K	UL/CSA, Energy Star	120	31	Medium Screw (E26)	5.63/143	2700	8000	80	1920
SP32/35K	UL/CSA	120	32	Medium Screw (E26)	5.63/143	3500	10000	80	2050
SP32/41K	UL/CSA	120	32	Medium Screw (E26)	5.63/143	4100	10000	80	2050
SP32/50K	UL/CSA	120	32	Medium Screw (E26)	5.63/143	5000	10000	80	2000
SP42/27K	UL/CSA, Energy Star	120	42	Medium Screw (E26)	7.13/181	2700	12000	80	2800
SP42/35K	UL/CSA	120	42	Medium Screw (E26)	7.13/181	3500	10000	80	2750
SP42/41K	UL/CSA	120	42	Medium Screw (E26)	7.13/181	4100	10000	80	2750
SP42/50K	UL/CSA	120	42	Medium Screw (E26)	7.13/181	5000	10000	80	2650
SP65/41/MED	UL/CSA Recognized Component	120	65	Medium Screw (E26)	8.9/225	4100	10000	80	3900
SP65/50/MED	UL/CSA Recognized Component	120	65	Medium Screw (E26)	8.9/225	5000	10000	80	3900
SP85/41/MED		120	85	Medium Screw (E26)	11.0/280	4100	8000	82	5500
SP85/50/MED		120	85	Medium Screw (E26)	11.0/280	5000	8000	82	5500
SP105/41/MED		120	105	Medium Screw (E26)	11.5/292	4100	8000	82	6900
SP105/50/MED		120	105	Medium Screw (E26)	11.5/292	5000	8000	82	6900

Dimmable CFLi Lamps

13, 19 & 23 Watt * 2700K & 4100K

Ordering Code	Volts	Watts	Special Desc	Base	MOL	CT deg K	Life Hours	CRI	Approx Initial Lumens
SP13/27K-DIM	120	13	Dimmable down to 8%	Medium Screw (E26)	4.92/125	2700	8000	80	900
SP13/41K-DIM	120	13	Dimmable down to 8%	Medium Screw (E26)	4.92/125	4100	8000	80	850
SP19/27K-DIM	120	20	Dimmable down to 8%	Medium Screw (E26)	5.12/130	2700	8000	80	1350
SP19/41K-DIM	120	20	Dimmable down to 8%	Medium Screw (E26)	5.12/130	4100	8000	80	1300
SP23/27K-DIM	120	23	Dimmable down to 8%	Medium Screw (E26)	5.47/139	2700	8000	80	1550
SP23/41K-DIM	120	23	Dimmable down to 8%	Medium Screw (E26)	5.47/139	4100	8000	80	1500

Mogul Based Spiral CFLi Lamps

105 Watt * 120 Volt * 277 Volt * 4100K * High Watt Spirals

Ordering Code	Volts	Watts	Base	MOL	CT deg K	Life Hours	CRI	Approx Initial Lumens
SP105/41/MOG-277V	277	105	Mogul Screw (E39)	12/305	4100	8000	82	6900
SP105/41/MOG	120	105	Mogul Screw (E39)	12/305	4100	8000	82	6900

GU24 Based Spiral CFLi Lamps

Title 24 Compliant * 13, 18 & 26 Watt * 2700K

Ordering Code	Volts	Watts	Base	MOL	CT deg K	Life Hours	CRI	Approx Initial Lumens
SP13/27-GU24	120	13	GU24	3.23/82	2700	10000	82	800
SP18/27-GU24	120	18	GU24	3.54/90	2700	10000	82	1100
SP26/27-GU24	120	26	GU24	3.74/95	2700	10000	82	1600

NOTES:



Unmatched **Selection**

EiKO has the broadest selection of any manufacturer in its class. We cover a wide array of industries such as electrical, commercial, automotive, audio visual, medical, photographic and stage/studio.

EiKO supports our wide coverage through our numerous warehouse locations, strong relationships with superior contract manufacturers and by continually upgrading our manufacturing capabilities.



Forward-Thinking **Solutions**

EiKO is staffed with industry-experienced specialists who bring both expertise and common sense to a business relationship. We present practical solutions that look towards future growth and profitability. Marketing tools, inventory control, cost-cutting operational methods and Certified Green products are all examples of how EiKO partners with customers to help solve their pressing issues.



Practical **Simplicity**

Business with EiKO is an exercise in Simplicity. We partner with our customers to provide a smooth, seamless method to grow their sales and profits through our EDI capabilities, quick and personal response time, no SPA requirements, a free drop-ship program that protects your dating terms and a customer-friendly ordering process.

Selection. Solutions. Simplicity.

23220 W. 84th St., Shawnee, KS 66227 • Ph: 1.800.852.2217 • Fax: 1.913.441.6679 • Email: eiko@eiko.com
EiKO CANADA: 31 King St. Unit 7, Barrie, Ontario L4N 6B5, Canada • Ph: 1.705.721.5189 • Fax: 1.705.721.7855

www.eiko.com